

## CERTIFICATION OF ANALYSIS

### (Representative Sample)

Our laboratory has carried out tests and obtained the following results:

article description	batch no.	quantity
Silver Foil		
<b>insp. characteristic</b>	<b>specification</b>	<b>nominal value unit</b>
visual and colorimetric evaluation	o.k.	Coverage
T100288 D 50	27,0 - 33,0	30,2      µm
T100005 sieving < 45 µm	95,0 - 100,0	98,8      %
T100005 sieving < 71 µm	99,9 - 100,0	99,9      %
T100211 As	0,0000 - 0,0002	0,0001    %
T100212 Cd	0,00000 - 0,00010	0,00005   %
T100211 Hg	0,00000 - 0,00010	0,00005   %
T100212 lead	0,0000 - 0,0010	0,0002    %
T100147 aluminium powder (CI 77000)	85,0 - 95,0	90,1      %
T100239 silica	5,0 - 15,0	9,9
T100154 tot. amount of bacteria	0 - 30	0          cfu/g
T100154 yeast and mould	0 - 30	0          cfu/g
T100154 pathogens	negative	negative
best used before: 10/13/2019		

We confirm that the color additive components in this product are in compliance with the applicable purity criteria established in the European Cosmetics directive (1223/2009/EC as amended) and the US FDA regulations as specified in 21 CFR part 73. The liability for the appropriate use and processing of this product lies with the buyer/user with respect to compliance with current local or regional cosmetic regulations and for respecting any third party rights.

quality control department

This document has been printed automatically and will not be signed.