

## Certificate of Analysis (Representative Sample)

**Product Name**                   SOFT MAUVE  
  
**Batch/Lot**  
**Manuf.Date**

Characteristic	Result	UOM	---Specification---	
			Minimum	Maximum
BiOCl on Mica	74.90	%	74.00	80.00
Iron Oxides	25.10	%	20.00	26.00
Bulk Color	Pass			
Bulk Density	5.42	g/in3	3.50	7.00
TS	99.60	%	99.60	
Antimony	PASS<5 PPM			
Arsenic	PASS<3 PPM			
Barium	PASS<100 PPM			
Cadmium	PASS<1 PPM			
Chromium	PASS<50 PPM			
Cobalt	PASS<10 PPM			
Copper	PASS<50 PPM			
Lead	PASS<10 PPM			
Mercury	PASS<1 PPM			
Nickel	PASS<30 PPM			
Selenium	PASS<20 PPM			
Zinc	PASS<100 PPM			
Aerobic bacteria	PASS<100 cfu/g			

Characteristic	Result	UOM	---Specification---	
			Minimum	Maximum
Yeast & mold	PASS<100 cfu/g			
gm negative bacteria	PASS:NEGATIVE			
Staph. aureus	PASS:NEGATIVE			
Pseudo. aeruginosa	PASS:NEGATIVE			
E.coli	PASS:NEGATIVE			
Production Master Standard:	B26179			
Best Before Date				

**Comments :**

\*\*\*Note: Trace metal results for batches manufactured after 01, Dec. 2013, reflect total

The information contained herein is based either on analytical tests of samples or on statistical process data; it is intended solely for purposes of comparison with the established specifications for the product. Warranties of the product are exclusively as set forth in the applicable contract documents.

THIS CERTIFICATE OF ANALYSIS HAS BEEN PRODUCED ELECTRONICALLY AND IS VALID WITHOUT A SIGNATURE.

## Certificate of Analysis

**Product Name**           SOFT MAUVE  
**Batch/Lot**  
**Manuf.Date**

product analysis.\*\*\*

The color additive component in the product meets with applicable US FDA (21 CFR), China Hygienic Standard for Cosmetics (ver. 2007), and EU Cosmetic Regulation EC/1223/2009 specifications and purity criteria. We recommend that appropriate use be confirmed against each region's current cosmetic regulations governing color additives.

Organic Colorant: None

Some data may be indicative of a QC Batch.