

TKB TRADING, LLC 1101 9th Avenue Oakland, CA 94606 Tel: 510-922-9027 www.tkbtrading.com

Safety Data Sheet

China Jade

Revision date : 2014/10/23 Page: 1/10
Version: 3.0 (55629582/SDS_COS_US/EN)

1. Identification

Product identifier used on the label

China Jade

Recommended use of the chemical and restriction on use

Recommended use*: cosmetics

* The "Recommended use" identified for this product is provided solely to comply with a US Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Supplier:

TKB TRADING, LLC 1101 9th Avenue Oakland, CA 94606, USA

Telephone: +1 510 451 9011

Other means of identification

Chemical family: metal oxides

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

No need for classification according to GHS criteria for this product.

Label elements

The product does not require a hazard warning label in accordance with GHS criteria.

Hazards not otherwise classified

Revision date: 2014/10/23 Page: 2/10 Version: 3.0 (55629582/SDS COS US/EN)

No specific dangers known, if the regulations/notes for storage and handling are considered.

According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Emergency overview

WARNING:

May cause cancer by inhalation.

Contains a suspect carcinogen.

Prolonged or repeated exposure may cause pulmonary problems.

Prolonged or repeated contact may cause eye and skin irritation.

May cause liver and kidney damage.

One component is mutagenic in cell culture (in vitro) studies.

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

This product does not contain any components classified as hazardous under the referenced regulation.

According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

CAS Number	Content (W/W)	Chemical name
13463-67-7	44.0 - 53.0 %	Titanium dioxide
12001-26-2	37.0 - 54.0 %	Mica-group minerals
1308-38-9	1.0 - 5.0 %	dichromium trioxide
1309-37-1	1.0 - 5.0 %	Iron oxide

4. First-Aid Measures

Description of first aid measures

General advice:

Remove contaminated clothing.

If inhaled:

If difficulties occur after dust has been inhaled, remove to fresh air and seek medical attention.

If on skin:

Wash thoroughly with soap and water. If irritation develops, seek medical attention.

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open. If irritation develops, seek immediate medical attention.

If swallowed:

Rinse mouth and then drink plenty of water. Do not induce vomiting. Seek medical attention if necessary.

Most important symptoms and effects, both acute and delayed

Hazards: No hazard is expected under intended use and appropriate handling.

Revision date: 2014/10/23 Page: 3/10 Version: 3.0 (55629582/SDS COS US/EN)

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: dry powder, foam

Unsuitable extinguishing media for safety reasons: carbon dioxide

Additional information:

Use extinguishing measures to suit surroundings.

Special hazards arising from the substance or mixture

Hazards during fire-fighting:

No particular hazards known.

Advice for fire-fighters

Protective equipment for fire-fighting:

Wear a self-contained breathing apparatus.

Further information:

Product itself is non-combustible; fire extinguishing method of surrounding areas must be considered.

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

Environmental precautions

Do not empty into drains.

This product is not regulated by RCRA. This product is not regulated by CERCLA ('Superfund').

Methods and material for containment and cleaning up

For small amounts: Pick up with suitable appliance and dispose of. For large amounts: Pick up with suitable appliance and dispose of.

Spills should be contained and placed in suitable containers for disposal.

Revision date : 2014/10/23 Page: 4/10
Version: 3.0 (55629582/SDS_COS_US/EN)

7. Handling and Storage

Precautions for safe handling

Breathing must be protected when large quantities are decanted without local exhaust ventilation. Avoid contact with the skin, eyes and clothing.

Avoid dust formation. Closed containers should only be opened in well-ventilated areas.

Protection against fire and explosion:

No special precautions necessary.

See MSDS section 5 - Fire fighting measures. Prevent electrostatic charge accumulation.

Conditions for safe storage, including any incompatibilities

Suitable materials for containers: High density polyethylene (HDPE), Low density polyethylene (LDPE)

Further information on storage conditions: Keep in a cool place. Keep container dry.

8. Exposure Controls/Personal Protection

Components with occupational exposure limits

Iron oxide	OSHA PEL	PEL 10 mg/m3 fumes/smoke; TWA value 10 mg/m3 fumes/smoke;
	ACGIH TLV	TWA value 5 mg/m3 Respirable fraction;
Titanium dioxide	OSHA PEL	PEL 15 mg/m3 Total dust; TWA value 10 mg/m3 Total dust;
	ACGIH TLV	TWA value 10 mg/m3;
Mica-group minerals	OSHA PEL	TWA value 20 millions of particles per cubic foot of air; TWA value 3 mg/m3 Respirable dust; TWA value 20 millions of particles per cubic foot of air;
	ACGIH TLV	TWA value 3 mg/m3 Respirable fraction;
dichromium trioxide	OSHA PEL	PEL 0.5 mg/m3 (Chromium (Cr)); PEL 1 mg/m3 (Chromium (Cr)); TWA value 1 mg/m3;
	ACGIH TLV	TWA value 0.5 mg/m3 (Chromium (Cr));

Personal protective equipment

Respiratory protection:

Observe OSHA regulations for respirator use (29 CFR 1910.134). Wear a NIOSH-certified (or equivalent) particulate respirator.

Hand protection:

Chemical resistant protective gloves

Eye protection:

Safety glasses with side-shields.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

Revision date: 2014/10/23 Page: 5/10 Version: 3.0 (55629582/SDS COS US/EN)

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Due to the colouring properties of the product closed work clothes should be used, to avoid stains during manipulation. Hands and/or face should be washed before breaks and at the end of the shift. Wash soiled clothing immediately.

9. Physical and Chemical Properties

Form: powder Odour: odourless

Odour threshold: not determined

Colour: green

pH value: 6.0 - 11.0 (4 %(m))

Melting point:

Boiling point:

The substance / product decomposes.

not applicable, solid with a melting

temperature over 300 °C

Flash point: not applicable

Flammability: not flammable

Lower explosion limit:

Upper explosion limit:

Autoignition:

Study does not need to be conducted.

Study does not need to be conducted.

Study does not need to be conducted.

Vapour pressure: not applicable

Density: 3.2 kg/l
Relative density: 3.2
Bulk density: 320 kg/m3

Vapour density: The product is a non-volatile solid.
Partitioning coefficient n- Study does not need to be conducted.

octanol/water (log Pow):

Self-ignition not self-igniting

temperature:

Thermal decomposition: No decomposition if stored and handled as

prescribed/indicated.

Viscosity, dynamic: Study does not need to be conducted. Viscosity, kinematic: not applicable, the product is a solid

Particle size:

No data available.

Solubility in water: insoluble

Evaporation rate: The product is a non-volatile solid. Other Information: If necessary, information on other physical and chemical

parameters is indicated in this section. No further information available.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

No corrosive effect on metal.

Oxidizing properties: not fire-propagating

Chemical stability

The product is chemically stable.

Revision date: 2014/10/23 Page: 6/10 Version: 3.0 (55629582/SDS COS US/EN)

Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

The product is chemically stable.

Hazardous polymerization will not occur.

Conditions to avoid

No conditions to avoid anticipated.

Incompatible materials

No substances known that should be avoided.

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

No decomposition if stored and handled as prescribed/indicated.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single ingestion.

Oral

Type of value: LD50

Species: rat

Value: > 2,000 mg/kg

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion

Assessment of irritating effects: Inhalation of dust may cause respiratory tract irritation, coughing and breathing difficulties. Prolonged contact with the product can result in skin irritation. Irritating to the eyes upon prolonged contact.

Aspiration Hazard

No aspiration hazard expected.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: Prolonged or repeated exposure may cause pulmonary problems. May affect the liver and kidneys as indicated in animal studies. The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Mica-group minerals

Revision date: 2014/10/23 Page: 7/10 Version: 3.0 (55629582/SDS COS US/EN)

Assessment of repeated dose toxicity: Chronic exposures have been known to produce pneumoconiosis (chronic inflammatory and fibrotic lung disease).

Information on: dichromium trioxide

Assessment of repeated dose toxicity: Repeated oral uptake of the substance did not cause substance-related effects. Repeated inhalative uptake of the substance did not cause substance-related effects.

Information on: Iron oxide

Assessment of repeated dose toxicity: The substance may cause increase in lung mass and lung tissue changes after repeated inhalation. The product has not been fully tested. The statements have been derived in parts from products of a similar structure or composition.

Chronic exposures have been known to produce pneumoconiosis (chronic inflammatory and fibrotic lung disease).

Genetic toxicity

Information on: dichromium trioxide

Assessment of mutagenicity: The substance was not mutagenic in bacteria. The substance was mutagenic in a mammalian cell culture test system. The substance was genotoxic in mammalian cell culture. The substance was not genotoxic in a test with mammals. The product has not been fully tested. The statements have been derived in parts from products of a similar structure or composition.

Carcinogenicity

Information on: Titanium dioxide

Assessment of carcinogenicity: IARC (International Agency for Research on Cancer) has classified this substance as group 2B (The agent is possibly carcinogenic to humans). In long-term studies in rats in which the substance was given by inhalation, a carcinogenic effect was observed. Tumors were only observed in rats after chronic inhalative exposure to high concentrations which caused sustained lung inflammation. In long-term studies in rats and mice in which the substance was given by feed, a carcinogenic effect was not observed. Dermal exposure is not expected to be carcinogenic.

Teratogenicity

Information on: dichromium trioxide

Assessment of teratogenicity: No indications of a developmental toxic / teratogenic effect were seen in animal studies. The results were determined in a Screening test (OECD 421/422).

.....

Other Information

The product has not been tested. The statements on toxicology have been derived from the properties of the individual components. The product has been assessed on the basis of the components' available data. To some extent data gaps exist for individual components. According to our present knowledge and experience dangers which are not covered by the current labeling are not to be expected.

Symptoms of Exposure

Revision date: 2014/10/23 Page: 8/10 Version: 3.0 (55629582/SDS COS US/EN)

Medical conditions aggravated by overexposure

Inhalation of dust could aggravate existing respiratory conditions.

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

At the present state of knowledge, no negative ecological effects are expected.

Toxicity to fish

LC50 > 100 mg/l

Microorganisms/Effect on activated sludge

Toxicity to microorganisms

EC0: > 100 mg/l

Persistence and degradability

Assessment biodegradation and elimination (H2O)

The colourant is insoluble in water and can thus be separated from water mechanically in suitable effluent treatment plant

Additional information

Other ecotoxicological advice:

The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations. The product has not been tested. The statement has been derived from the properties of the individual components.

13. Disposal considerations

Waste disposal of substance:

Must be disposed of or incinerated in accordance with local regulations.

Dispose of in a licensed facility. Do not discharge into drains/surface waters/groundwater. It is the waste generator's responsibility to determine if a particular waste is hazardous under RCRA. This product does not possess any of the four identifying characteristics of hazardous waste (ignitability, corrosivity, reactivity, or toxicity).

Container disposal:

Uncontaminated packaging can be re-used. Packs that cannot be cleaned should be disposed of in the same manner as the contents.

14. Transport Information

Land transport

USDOT

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Revision date : 2014/10/23 Page: 9/10 Version: 3.0 (55629582/SDS_COS_US/EN)

Not classified as a dangerous good under transport regulations

Air transport IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information

Federal Regulations

Registration status:

Cosmetic TSCA, US released / exempt

EPCRA 311/312 (Hazard categories): Acute;

EPCRA 313:

CAS NumberChemical name1308-38-9dichromium trioxide

CERCLA RQCAS NumberChemical name10 LBS1308-38-9dichromium trioxide

State regulations

State RTKCAS NumberChemical nameMA, NJ, PA13463-67-7Titanium dioxideMA, NJ, PA12001-26-2Mica-group mineralsMA, NJ1308-38-9dichromium trioxide

MA, NJ, PA 1309-37-1 Iron oxide

NFPA Hazard codes:

Health: 1 Fire: 0 Reactivity: 0 Special:

HMIS III rating

Health: 1 Flammability: 0 Physical hazard:0

16. Other Information

SDS Prepared on: 2014/10/23

Revision date: 2014/10/23 Page: 10/10 Version: 3.0 (55629582/SDS_COS_US/EN)

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. **END OF DATA SHEET**