

TKB TRADING, LLC 1101 9th Avenue Oakland, CA 94606 Tel: 510-922-9027 www.tkbtrading.com

# SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Revision Date 07/27/2015

Version 1.3

### **SECTION 1.Identification**

**Product identifier** 

Product name COPPER SPARKS

Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cosmetic raw material

Details of the supplier of the safety data sheet

TKB TRADING, LLC 1101 9th Avenue Oakland, CA 94606, USA Telephone: +1 510 451 9011

# SECTION 2. Hazards identification

# **GHS-Labeling**

Not a dangerous substance according to GHS.

#### Other hazards

None known.

## SECTION 3. Composition/information on ingredients

Chemical nature Calcium aluminum borosilicate coated with:

silicon dioxide

titanium dioxide, tin oxide

### Hazardous ingredients

Chemical Name (Concentration)
CAS-No.
glass (>= 50 % - < 70 %)
65997-17-3

Exact percentages are being withheld as a trade secret.

titanium(IV) oxide (>= 10 % - < 30 %)

13463-67-7

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product name COPPER SPARKS Version 1.3

Exact percentages are being withheld as a trade secret.

silicon dioxide (>= 10 % - < 30 %)

7631-86-9

Exact percentages are being withheld as a trade secret.

#### SECTION 4. First aid measures

### **Description of first-aid measures**

Inhalation

After inhalation: fresh air.

Skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/

shower.

Eve contact

After eye contact: rinse out with plenty of water.

Ingestion

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

Never give anything by mouth to an unconscious person.

## Most important symptoms and effects, both acute and delayed

We have no description of any toxic symptoms.

### Indication of any immediate medical attention and special treatment needed

No information available.

### **SECTION 5. Fire-fighting measures**

## Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapors.

#### Advice for firefighters

Special protective equipment for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Further information

none

#### SECTION 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

# **Environmental precautions**

No special precautionary measures necessary.

## Methods and materials for containment and cleaning up

Observe possible material restrictions (see sections 7 and 10).

Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

# SECTION 7. Handling and storage

## Precautions for safe handling

Observe label precautions.

# Conditions for safe storage, including any incompatibilities

Tightly closed. Dry.

Storage temperature: no restrictions.

Version 1.3 **COPPER SPARKS** Product name

# SECTION 8. Exposure controls/personal protection

Exposure I	im	it(	(s)
------------	----	-----	-----

Inc	red	םו	ntc
1114	$u \cup u$	$I \cup I$	$n_{LO}$

Ingredients			
Basis	Value	Threshold limits	Remarks
General threst	hold limit value for dust	<del>f</del>	
Z1A	Time Weighted Average (TWA):	5 mg/m³	Form of exposure: Respirable fraction.
	Time Weighted Average (TWA):	15 mg/m³	Form of exposure: Total dust.
	Time Weighted Average (TWA):	50millions of particles per cubic foot of air	Form of exposure: Total dust.
	Time Weighted Average (TWA):	15millions of particles per cubic foot of air	Form of exposure: Respirable fraction.
	Time Weighted Average (TWA):	15 mg/m³	Form of exposure: Total dust.
	Time Weighted Average (TWA):	5 mg/m³	Form of exposure: Respirable fraction.
OSHA_TRANS	PEL:	5 mg/m³	Form of exposure: Respirable fraction.
	PEL:	15 mg/m³	Form of exposure: Total dust.
ACGIH	Time Weighted Average (TWA):	10 mg/m³	Form of exposure: Inhalable particles.
	Time Weighted Average (TWA):	3 mg/m³	Form of exposure: Respirable particles.
glass 65997-1	7-3		
NIOSH/GUIDE	Recommended exposure limit (REL):	5 mg/m³	Form of exposure: fibers, total dust
	Recommended exposure limit (REL):	5 mg/m³	Form of exposure: Fiber, total
	Recommended exposure limit (REL):	3fibers/cm3	Form of exposure: Fiber.
	Recommended exposure limit (REL):	3fibers/cm3	Form of exposure: Dust.
ACGIH	Time Weighted Average (TWA):	5 mg/m³	Form of exposure: Inhalable fraction.
	Time Weighted Average (TWA):	1fibers/cm3	F: Respirable fibers: length > 5 micrometers; aspect ration >= 3:1, as determined by the membrane filter method at 400-450X magnification (4-mm objective), using phase-contrast illumination.  Form of exposure: Fiber.
	Time Weighted Average (TWA):	1fibers/cm3	F: Respirable fibers: length > 5 micrometers; aspect ration >= 3:1, as determined by the membrane filter method at 400-450X magnification (4-mm objective), using phase-contrast illumination.  Form of exposure: Fiber.
	Time Weighted Average (TWA):	1fibers/cm3	F: Respirable fibers: length > 5 micrometers; aspect ration >= 3:1, as determined by the membrane filter method at 400-450X magnification (4-mm objective), using phase-contrast illumination.  Form of exposure: Fiber.

Time Weighted Average (TWA):

1fibers/cm3

F: Respirable fibers: length > 5 micrometers; aspect ration >= 3:1, as determined by the membrane filter method at 400-

450X magnification (4-mm objective), using phase-contrast

illumination.

Form of exposure: Fiber.

Time Weighted Average

(TWA):

1fibers/cm3

F: Respirable fibers: length > 5 micrometers; aspect ration >= 3:1, as determined by the membrane filter method at 400-

450X magnification (4-mm objective), using phase-contrast

illumination.

Form of exposure: Fiber.

Time Weighted Average

(TWA):

0.2fibers/cm3

F: Respirable fibers: length > 5 micrometers; aspect ration >= 3:1, as determined by the membrane filter method at 400-

450X magnification (4-mm objective), using phase-contrast

illumination.

Form of exposure: Fiber.

titanium(IV) oxide 13463-67-7

ACGIH

Z1A

Time Weighted Average

10 mg/m³

(TWA): OSHA TRANS PEL:

15 mg/m³

Z1A Time Weighted Average

10 mg/m<sup>3</sup>

6 mg/m<sup>3</sup>

6 mg/m<sup>3</sup>

Form of exposure: Total dust.

Form of exposure: Total dust.

(TWA):

silicon dioxide 7631-86-9

NIOSH/GUIDE Recommended

exposure limit (REL):

t (REL):

Time Weighted Average (TWA):

(TWA):

Time Weighted Average

20millions of particles per cubic foot of air

Time Weighted Average

(TWA):

0.8 mg/m<sup>3</sup>

The exposure limit is calculated from the equation,

80/(%SiO2), using a value of 100% SiO2. Lower values of %

SiO2 will give higher exposure limits.

### **Engineering measures**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

#### Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

#### Hygiene measures

Change contaminated clothing. Wash hands after working with substance.

Eye/face protection

Safety glasses

### Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Respiratory protection

required when dusts are generated.

Recommended Filter type: NIOSH-certified respirator with P95 particulate filter

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are performed according to the instructions of the producer. These measures have to be properly documented.

# SECTION 9. Physical and chemical properties

Physical state powder

Color white

Odor odorless

Odor Threshold Not applicable

pH 8.0 - 11.0

at 100 g/l 20 °C (20 °C) (slurry)

Melting point No information available.

Boiling point No information available.

Flash point Not applicable

Evaporation rate No information available.

Flammability (solid, gas)

The product is not flammable.

Lower explosion limit No information available.

Upper explosion limit No information available.

Vapor pressure No information available.

Relative vapor density No information available.

Density 2.3 - 2.7 g/cm3

at 20 °C (20 °C)

Relative density No information available.

Water solubility at 20 °C (20 °C)

practically insoluble

Partition coefficient: n-

octanol/water

No information available.

Autoignition temperature No information available.

Decomposition temperature No information available.

Viscosity, dynamic No information available.

Explosive properties Not classified as explosive.

Oxidizing properties none

Bulk density 270 - 360 kg/m3

Particle size Particle size

20.0 - 200.0 µm

Mean particle size 75.0 - 95.0 µm

## SECTION 10. Stability and reactivity

## Reactivity

See below

### Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### Possibility of hazardous reactions

no information available

### Conditions to avoid

no information available

## Incompatible materials

no information available

# Hazardous decomposition products

no information available

# **SECTION 11. Toxicological information**

### Information on toxicological effects

Likely route of exposure

Inhalation, Eye contact, Skin contact, Ingestion

Target Organs

Respiratory system

Eyes

Specific target organ systemic toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ systemic toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Regarding the available data the classification criteria are not fulfilled.

# Carcinogenicity

IARC Group 2B: Possibly carcinogenic to humans

titanium(IV) oxide 13463-67-7

glass 65997-17-3

OSHA No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP Anticipated carcinogen.

glass 65997-17-3

ACGIH Confirmed animal carcinogen with unknown relevance to

humans.

glass 65997-17-3

### **Further information**

Hazardous properties cannot be excluded but are unlikely when the product is handled appropriately.

Inhalation of the dusts should be avoided as even inert dusts may impair respiratory organ functions.

Handle in accordance with good industrial hygiene and safety practice.

### Ingredients

# glass

No information available.

# titanium(IV) oxide

Acute oral toxicity

LD50 Rat: > 10,000 mg/kg (External MSDS)

Skin irritation
Rabbit

Result: No skin irritation

(IUCLID)

Eye irritation Rabbit

Result: No eye irritation

(IUCLID)

### silicon dioxide

Acute dermal toxicity

Rabbit: > 5,000 mg/kg (IUCLID)

Skin irritation Rabbit

Result: No irritation OECD Test Guideline 404

Eye irritation

Rabbit

Result: No eye irritation OECD Test Guideline 405

Sensitization

Sensitization test: Guinea pig

Result: negative (IUCLID)

Germ cell mutagenicity Genotoxicity in vitro Ames test

Salmonella typhimurium Result: negative

(IUCLID)

Mutagenicity (mammal cell test): chromosome aberration.

Result: negative (IUCLID)

## **SECTION 12. Ecological information**

### **Ecotoxicity**

No information available.

# Persistence and degradability

No information available.

## Bioaccumulative potential

No information available.

#### Mobility in soil

No information available.

## Ingredients

glass

No information available.

# titanium(IV) oxide

Toxicity to fish

LC0 Leuciscus idus (Golden orfe): > 1,000 mg/l(External MSDS)

Toxicity to bacteria

EC0 Pseudomonas fluorescens: > 5,000 mg/l(External MSDS)

### silicon dioxide

Toxicity to daphnia and other aquatic invertebrates EC0 Daphnia magna (Water flea): >= 10,000 mg/l; 24 h OECD Test Guideline 202

Toxicity to algae

IC50 Pseudokirchneriella subcapitata (green algae): 440 mg/l; 72 h (IUCLID)

NOEC Pseudokirchneriella subcapitata (green algae): 60 mg/l; 72 h (IUCLID)

# **SECTION 13. Disposal considerations**

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

### **SECTION 14. Transport information**

### Land transport (DOT)

Not classified as dangerous in the meaning of transport regulations.

### Air transport (IATA)

Not classified as dangerous in the meaning of transport regulations.

### Sea transport (IMDG)

Not classified as dangerous in the meaning of transport regulations.

### **SECTION 15. Regulatory information**

#### **United States of America**

#### **SARA 313**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### **SARA 302**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

# **DEA List I**

Not listed

#### **DEA List II**

Not listed

## **US State Regulations**

## Massachusetts Right To Know

Ingredients

glass

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product name COPPER SPARKS Version 1.3

titanium(IV) oxide silicon dioxide

# Pennsylvania Right To Know

Ingredients
glass
titanium(IV) oxide
silicon dioxide

# **New Jersey Right To Know**

Ingredients
glass
titanium(IV) oxide
silicon dioxide

### California Prop 65 Components

WARNING: this product contains a chemical known in the State of California to cause cancer.

Ingredients titanium(IV) oxide

#### **Notification status**

TSCA: All components of the product are listed in the TSCA-inventory.

DSL: All components of this product are on the Canadian DSL.

### **SECTION 16. Other information**

### Training advice

Provide adequate information, instruction and training for operators.

### Labeling

Precautionary Statements
Prevention
P260 Do not breathe dust.

# Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Revision Date07/27/2015

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.