

Revision Date: June 1, 2015

SECTION 1 – IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

- 1.1 **Product Identifier** Product Name
- 1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against Identified uses Cosmetic raw material
- **1.3 Details of the Supplier of the Safety Data Sheet** Company

TKB Trading LLC. 1101 9th Avenue Oakland, CA 94606

ISODODECANE

+1 510 922 9027

1.4 Emergency telephone number

SECT	ION 2 – HAZARDS INGREDIENTS	
2.1	Classification of the Substance or Mixture accord	ling to Regulation (EC) 1272/2008 Flammable Liquid – Category 3 Aspiration Hazard – Category 1
2.2	Label Elements according to Regulation (EC) EU 12 Hazard pictogram	272/2008 GHS02 GHS08
	Signal words Hazard statements Precautionary statements	Danger H226: Flammable liquid and vapour H304: May be fatal if swallowed and enters airways P280: Wear protective gloves and eye/face protection.P210: Keep away from heat/sparks/open flames/hot surfaces – No smoking. P241: Use explosion-proof electrical, ventilating, lighting and all material-handling equipment. P301+330+331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+361+353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P403: Store in a well ventilated place P405: Store locked up



Version No.: 1

Revision Date: June 1, 2015

Version No.: 1

2.3	Other Hazards	None known
SECT	ION 3 – COMPOSITION/INFORMATION ON INGREDIENTS	
3.1	Substances Chemical characterization INCI CAS EC Concentration	Cosmetic ingredients Isododecane 13475-82-6, 141-70-5 297-629-8 100%
3.2	Mixture	-
SECT	ION 4 – FIRST AID MEASURES	
4.1	Description of First Aid Measures Eye contact Inhalation Skin contact	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. If not breathing, if breathing is irregular or respiratory arrest occurs, provide artificial respiration, or oxygen by a trained professional, using a pocket type respirator. Wash contaminated skin with soap and water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse. In case of contact, flush skin with plenty of water for at least 20 minutes. Get medical attention immediately. Wash out mouth with
4.2	Potential Acute Health Effects Eye contact Inhalation Ingestion Skin contact	 water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Aspiration hazard if swallowed. Can enter lungs and cause damage. Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. No known significant effects or critical hazards. No known significant effects or critical hazards. May be fatal if swallowed and enters airways. Defatting to the skin. May cause skin dryness and irritation.

Revisi	on Date: June 1, 2015	Version No.: 1
4.3	Potential Chronic Health Effects	Prolonged or repeated contact can defeat the skin and lead to irritation, cracking and/or dermatitis.
4.4	Notes to Physician	Treat symptomatically. No specific treatment.
4.5	Protection of First-aiders	No special measures required.
SECTI	ON 5 – FIRE FIGHTING MEASURES	
5.1	Extinguishing Media	Use dry chemical, CO ₂ , water spray (fog) or foam.
5.2	Unsuitable Extinguishing Media	Water jet
5.3	Flammable Hazards arising from the Chemical	Flammable liquid and vapor. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. The vapor/gas is heavier than air and will spread along the ground. Vapors may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back. Runoff to sewer may create fire or explosion hazard. Toxic and irritating gases/fumes may be given off during burning or thermal decomposition.
5.4	Hazardous Thermal Decomposition Products	Decomposition products may include the following materials: carbon dioxide, carbon monoxide.
5.5	Special Protective Actions for Fire-Fighters	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool. If this is impossible, withdraw from area and allow fire to burn. Fight fire from protected location or maximum possible distance.
5.6	Special Protective Equipment for Fire-Fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SECTI	ON 6 - ACCIDENTAL RELEASE MEASURES	

SECTION 6 – ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, Protective Equipment and Emergency Procedures

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in

Revisio	n Date: June 1, 2015	Version No.: 1
		hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
6.2	Environmental Precautions	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3	Methods and Material for Containment and Cleaning Up	Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with noncombustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. Prevent entry into sewers, water courses, basements or confined areas.
6.4	Reference to other Sections	Section 8: Exposure control /personal protection. Section 13: Waste treatment.
SECTIC	N 7 – HANDLING AND STORAGE	
7.1	Precautions for Safe Handling	Do not swallow. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Take precautionary measures against electrostatic discharges. Empty containers retain product residue and can be hazardous. Do not reuse container. Remove contaminated clothing and protective equipment before entering eating areas. Workers should wash hands and face before eating, drinking and smoking. Put on appropriate personal protection equipment. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.

7.2 Condition for Safe Storage, including any

Revision Date: June 1, 2015

Incom	natib	ilities
mcom	ναιν	1111103

Version No.: 1

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and wellventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Empty containers retain product residue and can be hazardous. Do not reuse container.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 **Engineering Controls**

Engineering Controls	Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.
Personal Protective Equipment	
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Respiratory protection	When high levels of vapors or aerosols are not controlled by local ventilation, respiratory protection is recommended. NIOSH approved, air-purifying organic vapor respirator.
Skin protection	Rubber gloves. Nitrile gloves. Wear cloth work clothing including long pants and long sleeved shirts.
Eye/face protection	Chemical splash goggles or face shield.
Medical Surveillance	Not available.
	Personal Protective Equipment Hygiene measures Respiratory protection Skin protection Eye/face protection

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic Physical and Chemical Properties

Liquid Colorless (light) Odorless Not available Not available 176 to 192 °C (1013 hPa)

Revision Date: June 1, 2015

Melting point Flash point Evaporation rate Explosion limits Vapor pressure Density Specific gravity (relative density) Solubility Vapor density Auto ignition temperature Viscosity Decomposition temperature

SECTION 10 – STABILITY AND REACTIVITY

- 10.1 Relativity
- 10.2 Stability

11.1

- 10.3 Possibility of Hazardous Reactions
- 10.4 Conditions to Avoid
- 10.5 Incompatible Materials
- 10.6 Hazardous Decomposition Products

SECTION 11 - TOXICOLOGICAL INFORMATION

Information on Routes of Exposure

- 11.2 Potential Acute Health Effects Eye contact Inhalation Ingestion Skin contact
- 11.3 Symptoms related to Physical, Chemical and Toxicological Characteristics Eye contact Inhalation Skin contact

Ingestion

11.4 Potential Chronic Health Effects

Version No.: 1

-81°C (-113.8°F) Closed cup: 45°C (113°F) [DIN 51755] Not available. Lower: 0.5% ; Upper: 4% 1 hPa (20°C) 0.74 g/cm³ [20°C (68°F)] Not available <0.0001 g/l (water) 5.9 (Air = 1) 410°C (770°F) Kinematic: 0.052 cm2/s Not available

- No specific test data related to reactivity available for this product or its ingredients.
- The product is stable

Under normal conditions of storage and use, hazardous reactions will not occur

Strong oxidizing agents

Reactive or incompatible with the following materials: oxidizing materials

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Dermal contact. Eye contact. Inhalation. Ingestion.

No known significant effects or critical hazards. No known significant effects or critical hazards. May be fatal if swallowed and enters airways. Defatting to the skin. May cause skin dryness and irritation.

No specific data No specific data May cause defatting of the skin with symptoms of dryness and cracking No specific data

Version No.: 1

Potential

high

Revision Date: June 1, 2015

Short term exposure Potential immediate effects: Long term exposure Potential delayed effects: General:

Carcinogenicity: Mutagenicity: Teratogenicity: Developmental effects: Fertility effects:

11.5 Carcinogenicity Isododecane: Not available

Not available. Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/or dermatitis. No known significant effects or critical hazards. No known significant effects or critical hazards.

Not classified by IARC Not classified by NTP Not classified by OSHA

BCF

No known significant effects or critical hazards.

Not available

Not available.

Log Pow

6.96

SECTION 12 - ECOLOGICAL INFORMATION

12.1 Persistence and Degradability

- 12.2 Bioaccumulative Potential Isododecane:
- 12.3 Mobility in Soil Soil/water partition coefficient (KOC) Other adverse effects

SECTION 13 - DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods

RCRA Classification


The generation of waste should be avoided or minimized wherever possible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapor from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains, and sewers. Waste disposal should be in accordance with existing federal state, provincial and or local environmental controls laws.

When discarded in its purchased form, this product meets the criteria of ignitability, and should be managed as a hazardous waste (EPA Hazardous Waste Number D001). (40 CFR 261.20-24)

13.2

Revision Date: June 1, 2015

Version No.: 1



None

Substances

SARA Title III Section 302 Extremely Hazardous

Revision Date: June 1, 2015

SARA Title III Section 313 Toxic Chemicals

US EPA CERCLA Hazardous Substances (40 CFR 302)

State Regulations

None

Concentration (100%)

None

100

application.

The following chemicals are specifically listed by individual states; other product specific health and safety data in other sections on the SDS may also be applicable for state requirements. For details on your regulatory requirements you should contact the appropriate agency in your state.

Version No.: 1

Ingredient name

CAS number

State Code

Isododecane 93685-81-5 Massachusetts Substances: MA - S Massachusetts Extraordinary Hazardous Substances: MA - Extra HS New Jersey Hazardous Substances: NJ - HS Pennsylvania RTK Hazardous Substances: PA - RTK HS Pennsylvania Special Hazardous Substances: PA - Special HS

California Prop. 65

To the best of our knowledge, this product does not contain any of the listed chemicals, which the state of California has found to cause cancer, birth defects or other reproductive harm.

This product is excluded from TSCA regulation by

Section 3 (2)(B)(vi) when used for FDA

U.S. Toxic Substances Control Act

SECTION 16 – OTHER INFORMATION

Hazardous Material Information System



0= Insignificant 1= Slight 2= Moderate 3= High 4= Extreme *= Chronic

The customer is responsible for determining the PPE code for this material. HMIS® ratings are to be used with a

fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA).

Revision Date: June 1, 2015

National Fire Protection Association (U.S.A.)

Version No.: 1

Health:	2
Flammability:	2
Instability/Reactivity:	0
Special:	-

0= Minimal 1=Slight 2=Moderate 3=Serious 4=Severe

Disclaimer: As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this product. Information contained herein is believed to be true and accurate but all statements or suggestions are made without warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with applicable federal, state and local regulations remains the responsibility of the user.