

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

	Revision Date 07/17/2015	Version 1.3
SECTION 1.Identification		
Product identifier		
Product name	NOBLE SILVER SPARKS	
Relevant identified uses o	of the substance or mixture and uses advised against	
Identified uses	Cosmetic raw material	

Details of the supplier of the safety data sheet

Supplier: TKB TRADING, LLC 1101 9th Avenue

Oakland, CA 94606, USA Telephone: +1 510 451 9011

SECTION 2. Hazards identification

GHS-Labeling

Not a dangerous substance according to GHS.

Other hazards

None known.

SECTION 3. Composition/information on ingredients

Chemical nature

Calcium aluminum borosilicate coated with: silicon dioxide titanium dioxide tin oxide

Hazardous ingredients

Chemical Name (Concentration) CAS-No. glass (>= 70 % - < 90 %) 65997-17-3

Exact percentages are being withheld as a trade secret. silicon dioxide (>= 10 % - < 30 %) 7631-86-9

NOBLE SILVER SPARKS

Exact percentages are being withheld as a trade secret.

SECTION 4. First aid measures

Description of first-aid measures

Inhalation After inhalation: fresh air.

Skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

Eye contact

After eye contact: rinse out with plenty of water.

Ingestion

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

We have no description of any toxic symptoms.

Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Not combustible. Ambient fire may liberate hazardous vapors.

Advice for firefighters

Special protective equipment for fire-fighters In the event of fire, wear self-contained breathing apparatus.

Further information none

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

NOBLE SILVER SPARKS

Environmental precautions

No special precautionary measures necessary.

Methods and materials for containment and cleaning up

Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

SECTION 7. Handling and storage

Precautions for safe handling

Observe label precautions.

Conditions for safe storage, including any incompatibilities

Tightly closed. Dry.

Storage temperature: no restrictions.

SAFETY DATA SHEET according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product name

NOBLE SILVER SPARKS

kposure limit(s) Ingredients)		
Basis	Value	Threshold limits	Remarks
General thres	hold limit value for dust		
Z1A	Time Weighted Average (TWA):	5 mg/m³	Form of exposure: Respirable fraction.
	Time Weighted Average (TWA):	15 mg/m³	Form of exposure: Total dust.
	Time Weighted Average (TWA):	50millions of particles per cubic foot of air	Form of exposure: Total dust.
	Time Weighted Average (TWA):	15millions of particles per cubic foot of air	Form of exposure: Respirable fraction.
	Time Weighted Average (TWA):	15 mg/m³	Form of exposure: Total dust.
	Time Weighted Average (TWA):	5 mg/m³	Form of exposure: Respirable fraction.
OSHA_TRANS	PEL:	5 mg/m³	Form of exposure: Respirable fraction.
	PEL:	15 mg/m³	Form of exposure: Total dust.
ACGIH	Time Weighted Average (TWA):	10 mg/m³	Form of exposure: Inhalable particles.
	Time Weighted Average (TWA):	3 mg/m³	Form of exposure: Respirable particles.
glass 65997-1	17-3		
NIOSH/GUIDE	Recommended exposure limit (REL):	5 mg/m³	Form of exposure: fibers, total dust
	Recommended exposure limit (REL):	5 mg/m³	Form of exposure: Fiber, total
	Recommended exposure limit (REL):	3fibers/cm3	Form of exposure: Fiber.
	Recommended exposure limit (REL):	3fibers/cm3	Form of exposure: Dust.
ACGIH	Time Weighted Average (TWA):	5 mg/m³	Form of exposure: Inhalable fraction.
	Time Weighted Average (TWA):	1fibers/cm3	F: Respirable fibers: length > 5 micrometers; aspect ration 3:1, as determined by the membrane filter method at 400- 450X magnification (4-mm objective), using phase-contrast illumination. Form of exposure: Fiber.
	Time Weighted Average (TWA):	1fibers/cm3	F: Respirable fibers: length > 5 micrometers; aspect ration 3:1, as determined by the membrane filter method at 400- 450X magnification (4-mm objective), using phase-contrast illumination. Form of exposure: Fiber.
	Time Weighted Average (TWA):	1fibers/cm3	F: Respirable fibers: length > 5 micrometers; aspect ration 3:1, as determined by the membrane filter method at 400- 450X magnification (4-mm objective), using phase-contrast illumination. Form of exposure: Fiber.

Product name	NOBLE SI	LVER SPARKS	Version 1.3
	Time Weighted Average (TWA):	1fibers/cm3	F: Respirable fibers: length > 5 micrometers; aspect ration >= 3:1, as determined by the membrane filter method at 400- 450X magnification (4-mm objective), using phase-contrast illumination. Form of exposure: Fiber.
	Time Weighted Average (TWA):	1fibers/cm3	F: Respirable fibers: length > 5 micrometers; aspect ration >= 3:1, as determined by the membrane filter method at 400- 450X magnification (4-mm objective), using phase-contrast illumination. Form of exposure: Fiber.
	Time Weighted Average (TWA):	0.2fibers/cm3	F: Respirable fibers: length > 5 micrometers; aspect ration >= 3:1, as determined by the membrane filter method at 400- 450X magnification (4-mm objective), using phase-contrast illumination. Form of exposure: Fiber.
silicon dioxide	7631-86-9		
NIOSH/GUIDE	Recommended exposure limit (REL):	6 mg/m³	
Z1A	Time Weighted Average (TWA):	6 mg/m³	
	Time Weighted Average (TWA):	20millions of particles per cubic foot of air	
	Time Weighted Average (TWA):	0.8 mg/m³	The exposure limit is calculated from the equation, 80/(%SiO2), using a value of 100% SiO2. Lower values of % SiO2 will give higher exposure limits.

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

Hygiene measures

Change contaminated clothing. Wash hands after working with substance.

Eye/face protection Safety glasses

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Respiratory protection

required when dusts are generated.

Recommended Filter type: NIOSH-certified respirator with P95 particulate filter The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are performed according to the instructions of the producer. These measures have to be properly documented.

NOBLE SILVER SPARKS

ON 9. Physical and chemical nysical state	powder
Color	white
COIOI	writte
Odor	odorless
Odor Threshold	Not applicable
рН	8.0 - 11.0 at 100 g/l 68 °F (20 °C) (slurry)
Melting point	No information available.
Boiling point	No information available.
Flash point	Not applicable
Evaporation rate	No information available.
Flammability (solid, gas)	The product is not flammable.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Vapor pressure	No information available.
Relative vapor density	No information available.
Density	No information available.
Relative density	No information available.
Water solubility	at 68 °F (20 °C) practically insoluble
Partition coefficient: n- octanol/water	No information available.
Autoignition temperature	No information available.
Decomposition temperature	No information available.
Viscosity, dynamic	No information available.
Explosive properties	Not classified as explosive.

Product name	NOBLE SILVER SPARKS	Version 1.3
Oxidizing properties	none	
Particle size	Particle size 20.0 - 200.0 μm	
SECTION 10. Stability and r Reactivity See below	eactivity	
Chemical stability The product is chemica	lly stable under standard ambient conditions (room temperature) .	
Possibility of hazardous re no information available		
Conditions to avoid no information available		
Incompatible materials no information available	2	
Hazardous decomposition no information available		
SECTION 11. Toxicological		
Information on toxicologica Likely route of exposure Inhalation, Eye contact,	9	
<i>Target Organs</i> Eyes Respiratory system		
, , , , ,	<i>rstemic toxicity - single exposure</i> re is not classified as specific target organ toxicant, single exposure.	
	<i>rstemic toxicity - repeated exposure</i> re is not classified as specific target organ toxicant, repeated exposure.	
<i>Aspiration hazard</i> Regarding the available	e data the classification criteria are not fulfilled.	
Carcinogenicity		
1450		

IARC	Group 2B: Possibly carcinogenic to humans	
	rutile	1317-80-2
	glass	65997-17-3
OSHA	No ingredient of this product p	present at levels greater than or
	equal to 0.1% is identified as a	a carcinogen or potential
	carcinogen by OSHA.	

Product name	NOBLE SILVER SPARKS		Version 1.3
NTP	Anticipated carcinogen.		
	glass	65997-17-3	
ACGIH	Confirmed animal carcinogen with unknown relevance to		
	humans.		
	glass	65997-17-3	

Further information

_

Hazardous properties cannot be excluded but are unlikely when the product is handled appropriately.

Inhalation of the dusts should be avoided as even inert dusts may impair respiratory organ functions.

Handle in accordance with good industrial hygiene and safety practice.

Ingredients

glass No information available.

silicon dioxide

Acute dermal toxicity Rabbit: > 5,000 mg/kg (IUCLID)

Skin irritation Rabbit Result: No irritation OECD Test Guideline 404

Eye irritation Rabbit Result: No eye irritation OECD Test Guideline 405

Sensitization Sensitization test: Guinea pig Result: negative (IUCLID)

Germ cell mutagenicity Genotoxicity in vitro Ames test Salmonella typhimurium Result: negative (IUCLID)

Mutagenicity (mammal cell test): chromosome aberration. Result: negative (IUCLID)

SECTION 12. Ecological information

Ecotoxicity

No information available.

Persistence and degradability No information available.

NOBLE SILVER SPARKS

Bioaccumulative potential No information available. Mobility in soil No information available.

Ingredients

glass No information available.

silicon dioxide

Toxicity to daphnia and other aquatic invertebrates EC0 Daphnia magna (Water flea): >= 10,000 mg/l; 24 h OECD Test Guideline 202

Toxicity to algae IC50 Pseudokirchneriella subcapitata (green algae): 440 mg/l; 72 h (IUCLID)

NOEC Pseudokirchneriella subcapitata (green algae): 60 mg/l; 72 h (IUCLID)

SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

SECTION 14. Transport information

Land transport (DOT)

Not classified as dangerous in the meaning of transport regulations.

Air transport (IATA)

Not classified as dangerous in the meaning of transport regulations.

Sea transport (IMDG)

Not classified as dangerous in the meaning of transport regulations.

SECTION 15. Regulatory information

United States of America

SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 302

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

NOBLE SILVER SPARKS

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311,

Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311,

Table 117.3.

DEA List I Not listed

DEA List II Not listed

US State Regulations

Massachusetts Right To Know

Ingredients glass silicon dioxide

Pennsylvania Right To Know

Ingredients glass silicon dioxide rutile

New Jersey Right To Know

Ingredients glass silicon dioxide

California Prop 65 Components

WARNING: this product contains a chemical known in the State of California to cause cancer.

Ingredients rutile

Notification status

TSCA:	All components of the product are listed in the TSCA-inventory.
DSL:	All components of this product are on the Canadian DSL.

SECTION 16. Other information

Training advice

Provide adequate information, instruction and training for operators.

Labeling

Precautionary Statements Prevention P260 Do not breathe dust.

NOBLE SILVER SPARKS

Key or legend to abbreviations and acronyms used in the safety data sheet Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Revision Date07/17/2015

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.