



TKB Trading, LLC.
 1101 9th Ave.
 Oakland, CA 94606
 support@tkbtrading.com
 www.tkbtrading.com

CERTIFICATE OF ANALYSIS
 (Representative Sample)

Product Name: TKB Presto Change-o Magic Lip Liquid
 Product Code: KV-901
 Batch Number: N/A

Analyte:	Result:	Method:	Test Date:	Comment:
TPC	<10cfu/gm	TM-01 (USP61)	07/25/23	N/A
Yeast/Mold	<10cfu/gm	TM-01 (USP61)	07/25/23	N/A
Enrichment	No Growth	TM-01 (USP61)	07/25/23	N/A
Coliforms	<10cfu/gm	TM-01A (USP62)	07/25/23	N/A
E.coli	Absent	TM-01A (USP62)	07/25/23	N/A
Pseudomonas spp.	Absent	TM-01A (USP62)	07/25/23	N/A
S.aureus	Absent	TM-01A (USP62)	07/25/23	N/A
Salmonella/Shigella	Absent	TM-01A (USP62)	07/25/23	N/A
C. albicans	Absent	TM-01A (USP62)	07/25/23	N/A

AUG 03 2023

Prepared By: Erika Zayas/ Document Control Specialist

Reviewed By: Monica Ayala/Microbiologist

Date:

Certified Laboratories is an A2LA ISO 17025 accredited testing laboratory (Certificate Number 3034.01). The requirements of ISO 17025 were followed for the test, results and preparation of this certificate of analysis. Certified Laboratories scope of accreditation may be found on A2LA or Certified Laboratories websites.

The aforementioned results on this report are representative of the samples submitted and may not be indicative of the entire manufacture, batch, and/or lot. Applicable current GMP's shall always be used when sampling. GLP's shall always be practiced by Certified Laboratories to ensure the most accurate results.

This report is submitted for the exclusive use of the person, partnership, or corporation to whom it is addressed, and neither the report nor the name of Certified Laboratories nor any member of its staff, may be used in connection with the advertising or sale of any product or process without written authorization from Certified Laboratories Failure to comply will result in immediate legal action by Certified Laboratories.