



TKB Trading, LLC

1101 9th Avenue
Oakland, CA 94606

Email: support@tkbtrading.com

tkbtrading.com

SAFETY DATA SHEET

Sky Diamond Glitter, Microfine

Revision Date Jan 1st, 2020

IDENTIFICATION OF THE SUBSTANCE /THE PRODUCT AND OF THE COMPANY

1.1 Identification of the substance / the preparation / the product

Product Name : Sky Diamond Glitter, Microfine

1.2 Application of the substance / the preparation / the product

Uses of the product : Decorative Applications

1.3 Supplier:

TKB Trading LLC.
1101 9th Ave
Oakland, CA 94606
Email: support@tkbtrading.com
Phone: 510-922-9027

2. HAZARDS IDENTIFICATION

Possible dangers

2.1 **GHS/CLP- Classification:** Not a dangerous product according Globally Harmonized System (GHS) and CLP.

It does not have to be labeled according to European regulation (EC) No. 1272/2008

2.2 **Additional danger advice:** No health & environment risks are apparently known from This product .We, However, have no data available of chronic and skin irritating effects when physical contacts has occurred

3. COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Chemical Characteristics

Description: Glitter of Multi Layered Iridescent Film.

3.2 Ingredients

COMPONENT	CAS #	CI No/INCI NAME	APPROX. WT. %
Polybutylene Terephthalate	24968-12-5, 26062-94-2	Polybutylene Terephthalate	60%
Acrylates Copolymer	25035-69-2	Acrylates Copolymer	30%
Ethylene Vinyl Acetate Copolymer	24937-78-8	Ethylene Vinyl Acetate Copolymer	10%

4. FIRST-AID MEASURES

- Following inhalation:** Take the person to fresh air, after inhalation of dust particles and in particular decomposition gases, to avoid from hypothermia. Place the person in a stabilized side position. Please contact a physician for treatments.
- Following skin contact:** Rinse with water over the affected areas of skin for at least 15min incase of contact with the melted product. Remove contaminated clothes. In case of burns, skin irritations or other symptoms please contact a physician.
- Following eye contact:** Do not rub in case of particles in the eye. Pleas remove particles carefully from the affected eye. Rinse eyes thoroughly with plenty of running water, but remove contact lenses prior to this. In case of irritations and other symptoms please contact your physician.
- Following swallowing:** Rinse mouth thoroughly and drink plenty of water. In case of indisposition and sickness call a physician.
- Advice to the physician:** No Toxic effects of the product itself except for thermal decomposition and fire are unknown. In case of any discomforts please treat symptomatically.

5. FIRE FIGHTING MEASURES

- Suitable extinguishing media:** Water spray, extinguishing foam, extinguishing powder, carbon dioxide.
- For safety reason unsuitable extinguishing agents:** Jet of water
- Special dangers:** Carbon monoxides (CO) and other toxic and flammable gases can be released.
- Special protective equipment:** An independent respiratory device (isolation device) should be used.
- Additional advice:** The product can ignite in case of fire and can burn outside of the source of ignition. Toxic flammable gases and vapours can be released through thermal decomposition. It is possible that flames can spread through spontaneous ignition of gaseous decomposition products. Cool the melted product with water. Collect the burn residues and water for firefighting compliance with the legal regulations.

6. ACIDENTAL RELEASE MEASURES

- Personal protection:** Avoid the buildup of dust. Do not inhale any dust. Keep sources of ignition away from the dust.
- Environmental measures:** Waste water must be mechanically cleaned from rest products prior to emptying into the sewer system.
- Cleaning procedures and absorption:** Dry absorption and if possible re-utilisation of the material.

7. HANDLING AND STORAGE

7.1 Handling

Safety advice: Avoid overheating through improper processing and dusting.
Technical protective measures: Local ventilation and airing guarantee, that all limits mentioned under point 8.1 are maintained.
Fire and explosion protection information: Keep away from sources of ignition.

7.2 Storage

Requirements for Storage in rooms and containers: No special storage necessary. However, Store in a cool dry place, away from excessive heat or sources of ignition in tightly closed (original) containers .
Additional details regarding Storage: Protect from heat. Comply with the appropriate Regulations of the Company's fire prevention measure.
Storage class: LGK 11 (flammable solid materials)

8. EXPOSURE CONTROL/PERSONAL PROTECTION

8.1 Exposure limits and monitoring in the workplace

Respiratory protection: Avoid dusting. Wear niosh/msha approved dust respirator when dispensing bulk into other containers. Use dust mask that conforms to En 143 or a half mask with particle filter FFP1 or PP2 conforms to EN 141. Caution! Limited Wearing Period.
Hand protection: Impervious gloves recommended
Eye protection: Any approved chem workers goggles. Side-shielded safety goggles that conform to EN 166 are required when carrying out mechanical processing with exposure to dust.
Body protection: Generally, normal working clothes are sufficient.
General work protection and hygiene measures: Do not inhale dust. Avoid contact with eyes, skin and clothes. Do not eat, drink, smoke or snuff during work. Wash hands prior to breaks and after finishing work. Change soiled clothes. Protect skin by using e. g. skin lotions and -creams

8.2 Restrictions and monitoring of the environmental exposure

These products are not considered to be hazardous under normal conditions of use.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 General details

Physical condition: Solid
Shape: Small particles in either rectangular, hexagonal or square shapes
Odour: Odourless

9.2 Important details regarding health / environmental protection as well as safety

pH value:	Non-applicable
Flash Point:	Non-applicable
Ignition temperature:	>300°C
Self-ignition point (Solid/Gas):	Not self-igniting
Blaze properties:	None
Risk of explosion:	Possible dust- or decomposition gas explosion
Vapour pressure:	To be disregarded
Specific weight:	~1.38kg/dm
Bulk density:	Between 0.50 and 0.60kg/dm ³ - depending on particle size/gauge
Water solubility:	Insoluble in water Partition coefficient n-Octanol/water: N/A
Viscosity:	Non-applicable
Vapor density:	Non-applicable
Evaporation speed:	Non-applicable

9.3 Additional details

There are no further details required regarding safety-relevant parameters.

10. STABILITY AND REACTIVITY

It is recommended to carry out a trial run prior to processing the product.

10.1 Conditions to be avoided

Pyrolysis, dangerous decomposition products and dangerous reactions will not occur if the product is used as intended.

10.2 Substances to be avoided

Potent acids, bases and oxidation agents.

10.3 Dangerous decomposition products when heated

Oxides of Carbon (carbon dioxide, carbon monoxide), Hydrocarbons, Aldehydes

11. TOXICOLOGICAL DATA

There is no toxicological data available.

According to our knowledge, these products are not considered to be hazardous under normal conditions of use, If Inhaled or Ingested There are no known adverse effects to be expected, However, In The Event Of Accidental Exposure Always Seek Medical Attention.

12. ECOLOGICAL INFORMATIONS

There is no Eco toxicological data available.

According to our knowledge, these products are not expected to produce any adverse environmental effects.

13.DISPOSAL INFORMATION

No waste is produced from the product that would require special supervision according to the directive (EU) 1357/2014.

14.TRANSPORT INFORMATIONS

Non –hazardous materials in terms of ADR/GGVS, RID/GGVE, ICAO/IATA, IMDG.

15.REGULATORY REGULATIONS

15.1 EU Regulations

Classification and labeling: None in accordance to the regulation (EC) No. 1272/2008 (CLP) or in the accordance to any other known EU regulations.

Disclaimer: *Our technical advice, information and statements – given verbally, in writing or in the form of test results – are offered for your guidance without warranty.NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE IS MADE. This also applies where protective rights of third parties are involved. It does not release the user from the obligation to test the suitability of the products and formulas for the intended process and applications. Our guarantee is limited to the consistent quality of our products. . The approved cosmetic colorants may bleed in certain solvents and may fade with exposure to UV and sunlight. All glitters should be tested in the final formulation for long –term stability.*

