

TKB TRADING, LLC 1101 9th Avenue Oakland, CA 94606 Tel: 510-922-9027 www.tkbtrading.com

# **SAFETY DATA SHEET**

Revision Date: 11.12.2019

#### **SECTION 1. IDENTIFICATION**

Product identifier : Aqua Sparks

Product number : KQ-205

Recommended use of the chemical and restrictions on

use

Recommended use : Cosmetic raw material

Details of the supplier of the safety data sheet

Company : TKB TRADING, LLC

1101 9th Avenue Oakland, CA 94606 Tel: (510)-922-9027 www.tkbtrading.com

## **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Not a hazardous substance or mixture.

**GHS** label elements

Not a hazardous substance or mixture.

Other hazards

None known.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Hazardous ingredients** 

Chemical name	Concentration (% w/w)		CAS-No.
titanium(IV) oxide	>= 20 -	< 30	13463-67-7
silicon dioxide	>= 1 -	< 5	7631-86-9

### **SECTION 4. FIRST AID MEASURES**



# **Aqua Sparks**

Version 1.8

Revision Date: 11.12.2019

If inhaled Fresh air.

In case of skin contact Take off immediately all contaminated clothing. Rinse skin

with water/ shower.

Rinse out with plenty of water. In case of eye contact

Remove contact lenses.

If swallowed Make victim drink water (two glasses at most). Consult doctor

if feeling unwell.

Most important symptoms and effects, both acute and

delayed

Notes to physician No information available.

#### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

We have no description of any toxic symptoms.

Unsuitable extinguishing

media

Specific hazards during fire

fighting

For this substance/mixture no limitations of extinguishing

agents are given. : Not combustible.

Ambient fire may liberate hazardous vapors.

Further information Suppress (knock down) gases/vapors/mists with a water spray

Special protective equipment:

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel:

Avoid inhalation of dusts.

Evacuate the danger area, observe emergency procedures,

consult an expert.

Advice for emergency responders: Protective equipment see section 8.

Indications about waste treatment see section 13.

No special precautionary measures necessary. **Environmental precautions** 

Methods and materials for containment and cleaning up Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area.

Avoid generation of dusts.

## **SECTION 7. HANDLING AND STORAGE**

#### Precautions for safe handling

Advice on safe handling : Observe label precautions.



# **Aqua Sparks**

Version Revision Date: 1.8 11.12.2019

## Conditions for safe storage, including any incompatibilities

Storage conditions : Tightly closed.

Dry.

Risks from decomposition products: see section 10

### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
General threshold limit value for dust	42945	TWA (total dust)	50 Million particles per cubic foot	OSHA Z-3
		TWA (total dust)	15 mg/m3	OSHA Z-3
		TWA (respirable fraction)	5 mg/m3	OSHA Z-3
		TWA (respirable fraction)	15 Million particles per cubic foot	OSHA Z-3
titanium(IV) oxide	13463-67-7	TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (Total dust)	10 mg/m3	OSHA P0
		TWA	10 mg/m3 (Titanium dioxide)	ACGIH
silicon dioxide	7631-86-9	TWA (Dust)	20 Million particles per cubic foot (Silica)	OSHA Z-3
		TWA (Dust)	80 mg/m3 / %SiO2 (Silica)	OSHA Z-3
		TWA	6 mg/m3 (Silica)	NIOSH REL

**Engineering measures** : Technical measures and appropriate working operations

should be given priority over the use of personal protective

equipment. See section 7.

Personal protective equipment

Respiratory protection : required when dusts are generated.

Filter type : NIOSH-certified respirator with P95 particulate filter

Hand protection

Additional Protection : Chemical-resistant, impervious gloves complying with an



# **Aqua Sparks**

Version Revision Date: 1.8 11.12.2019

approved standard should be worn at all times when handling

chemical products.

Eye protection : Safety glasses

Hygiene measures : Change contaminated clothing. Wash hands after working

with substance.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical state powder

Form solid

Color white

Odor odorless

Odor Threshold Not applicable

pH 8.0 - 11.0

at 100 g/l 68 °F (20 °C)

(slurry)

Melting point No information available.

Boiling point No information available.

Flash point Not applicable

Evaporation rate No information available.

Flammability (solid, gas) No information available.

Lower explosion limit No information available.

Upper explosion limit No information available.

Vapor pressure No information available.

Relative vapor density No information available.

Density 2.7 - 2.9 g/m3

at 68 °F (20 °C)

Relative density No information available.



# **Aqua Sparks**

Version Revision Date: 1.8 11.12.2019

Water solubility at 68 °F (20 °C)

practically insoluble

Partition coefficient: n-

octanol/water

No information available.

Autoignition temperature No information available.

Decomposition temperature No information available.

Viscosity, dynamic No information available.

Explosive properties Not classified as explosive.

Oxidizing properties none

Bulk density 290 - 380 kg/m3

Particle size  $20.0 - 200.0 \ \mu m$ 

Particle size

### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : See below

Chemical stability : The product is chemically stable under standard ambient

conditions (room temperature).

Possibility of hazardous

reactions

: no information available

Conditions to avoid : no information available Incompatible materials : no information available

Hazardous decomposition

products

in the event of fire: See section 5.

#### SECTION 11. TOXICOLOGICAL INFORMATION

### Information on toxicological effects

**Product** 

Carcinogenicity

IARC Group 2B: Possibly carcinogenic to humans

titanium(IV) oxide 13463-67-7

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.



# **Aqua Sparks**

Version 1.8

Revision Date: 11.12.2019

Likely route of exposure Inhalation, Eye contact, Skin contact, Ingestion

# Experience with human exposure

Other Relevant Toxicity Information:

Hazardous properties cannot be excluded but are unlikely when the product is handled appropriately.

Inhalation of the dusts should be avoided as even inert dusts may impair respiratory organ functions.

Handle in accordance with good industrial hygiene and safety practice.

### Components

### titanium(IV) oxide (13463-67-7):

Acute oral toxicity

LD50 Rat: > 10,000 mg/kg (External MSDS)

Skin irritation

Rabbit

Result: No skin irritation

(IUCLID)

Eye irritation

Rabbit

Result: No eye irritation

(IUCLID)

Sensitization

Local lymph node assay (LLNA) Mouse

Result: negative

Method: OECD Test Guideline 429

(ECHA)

Germ cell mutagenicity

Genotoxicity in vitro

Chromosome aberration test in vitro

Chinese hamster ovary cells

Result: negative

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

(ECHA)

## silicon dioxide (7631-86-9):

Acute oral toxicity LD50 Rat: > 5,000 mg/kg OECD Test Guideline 401(ECHA)



# **Aqua Sparks**

Version Revision Date: 1.8 11.12.2019

Acute inhalation toxicity

LC50 Rat: > 0.14 mg/l; 4 h; dust/mist (highest concentration to be prepared) (ECHA)

OECD Test Guideline 403

Acute dermal toxicity

LD50 Rabbit: > 5,000 mg/kg (IUCLID)

Skin irritation

Rabbit

Result: No skin irritation OECD Test Guideline 404

(ECHA)

Eye irritation

Rabbi

Result: No eye irritation

OECD Test Guideline 405

(IUCLID)

Sensitization

Sensitization test: Guinea pig

Result: negative

(IUCLID)

Result: Did not cause sensitization on laboratory animals.

Repeated dose toxicity

Rat

male and female

Oral

13 Weeks

daily

NOAEL: 4,000 mg/kg

OECD Test Guideline 408

(ECHA)

Rat

male and female

Inhalation

13 Weeks

daily

OECD Test Guideline 413

(ECHA)

Germ cell mutagenicity

Genotoxicity in vivo

Rat

Result: negative

(ECHA)

Genotoxicity in vitro

Ames test

Salmonella typhimurium

Result: negative

(IUCLID)

Mutagenicity (mammal cell test): chromosome aberration.

Result: negative

(IUCLID)



# **Aqua Sparks**

Version 1.8

Revision Date: 11.12.2019

CMR effects

Carcinogenicity:

Animal testing did not show any carcinogenic effects.

Mutagenicity:

Animal testing did not show any mutagenic effects.

Teratogenicity:

Did not show mutagenic or teratogenic effects in animal experiments. Reproductive toxicity:

No toxicity to reproduction

STOT-single exposure

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### **SECTION 12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

**Product** 

### Persistence and degradability

No information available.

#### Bioaccumulative potential

No information available.

#### Mobility in soil

No information available.

#### Additional ecological information

No ecological problems are to be expected when the product is handled and used with due care and attention.

#### Components

titanium(IV) oxide (13463-67-7):

Toxicity to fish

LC0 Leuciscus idus (Golden orfe): > 1,000 mg/l(External MSDS)

Toxicity to bacteria

EC0 Pseudomonas fluorescens: > 5,000 mg/l(External MSDS)

Biodegradability

(ECHA)

Not readily biodegradable.



# **Aqua Sparks**

Version Revision Date: 1.8 11.12.2019

silicon dioxide (7631-86-9):

Toxicity to fish static test LC50 Danio rerio (zebra fish): 10,000 mg/l; 96 h OECD Test Guideline 203 (ECHA)

Toxicity to daphnia and other aquatic invertebrates static test EC50 Daphnia magna (Water flea): > 1,000 mg/l; 24 h OECD Test Guideline 202 (ECHA)

Toxicity to algae IC50 Pseudokirchneriella subcapitata (green algae): 440 mg/l; 72 h (IUCLID)

NOEC Pseudokirchneriella subcapitata (green algae): 60 mg/l; 72 h (IUCLID)

Toxicity to fish (Chronic toxicity) NOEC Fish: 86.03 mg/l; 30 d

US-EPA (ECHA)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) NOEC Daphnia sp. (Water flea): 34.2 mg/l; 30 d (ECHA)

Biodegradability

The methods for determining biodegradability are not applicable to inorganic substances.

Partition coefficient: n-octanol/water log Pow: < 0.5 (ECHA) Bioaccumulation is not expected.

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

Product Waste : Waste material must be disposed of in accordance with

national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned

containers like the product itself.

#### **SECTION 14. TRANSPORT INFORMATION**

Not classified as dangerous in the meaning of transport regulations.

## **SECTION 15. REGULATORY INFORMATION**

# **EPCRA - Emergency Planning and Community Right-to-Know**

### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.



# **Aqua Sparks**

Version Date: 1.8 Revision Date: 11.12.2019

## SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### **SARA 302**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### **SARA 313**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

#### Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

### **US State Regulations**

## Massachusetts Right To Know

titanium(IV) oxide 13463-67-7 silicon dioxide 7631-86-9

## Pennsylvania Right To Know

titanium(IV) oxide 13463-67-7 silicon dioxide 7631-86-9

## **New Jersey Right To Know**

titanium(IV) oxide 13463-67-7

California Prop. 65 WARNING: This product can expose you to one or more

chemicals which is known to the State of California to cause cancer. For more information, go to www.P65Warnings.ca.gov

titanium(IV) oxide 13463-67-7

### The ingredients of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

TSCA : This product is regulated under the Food, Drug, and Cosmetic



# **Aqua Sparks**

Version Revision Date: 1.8 11.12.2019

Act and is exempt from TSCA.

#### **SECTION 16. OTHER INFORMATION**

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.