



Certificate of Analysis

(Representative Sample Certificate)

TKB TRADING, LLC

1101 9th Avenue
 Oakland, CA 94606
 Tel: (510)-922-9027

www.tkbtrading.com

Inspection Certificate 3.1 according to EN 10204

ASTER HUE

Standard-Lot : Not Available (data may vary slightly with different lots or batches)
 Insp. lot : Not Available (data may vary slightly with different lots or batches)

Insp. method Characteristic	Result	Specification		UOM
Mica	54.7	46.0	65.0	%
TiO2	43.8	35.0	49.0	%
Carmine	0.7	0.3	2.0	%
Iron Blue	0.8	0.3	2.5	%
Appearance	PASS			
Bulk Color	Pass			
pH	6.4	2.2	7.0	
TS	99.2			%
Antimony	PASS<2 PPM			
Arsenic	PASS<1 PPM			
Barium	PASS<100 PPM			
Cadmium	PASS<1 PPM			
Chromium	PASS<80 PPM			
Cobalt	PASS<10 PPM			
Copper	PASS<50 PPM			
Lead	PASS<10 PPM			

The aforementioned data shall constitute the agreed contractual quality of the product at the time of passing of risk. The data are controlled at regular intervals as part of our quality assurance program. Neither these data nor the properties of product specimens shall imply any legally binding guarantee of certain properties or of fitness for a specific purpose. No liability of ours can be derived therefrom.



Certificate of Analysis

(Representative Sample Certificate)

TKB TRADING, LLC

1101 9th Avenue
Oakland, CA 94606
Tel: (510)-922-9027

www.tkbtrading.com

Inspection Certificate 3.1 according to EN 10204

ASTER HUE

Standard-Lot : Not Available (data may vary slightly with different lots or batches)
Insp. lot : Not Available (data may vary slightly with different lots or batches)

Insp. method Characteristic	Result	Specification	UOM
Mercury	PASS<1	PPM	
Nickel	PASS<50	PPM	
Selenium	PASS<10	PPM	
Zinc	PASS<100	PPM	
Soluble Cyanide	PASS<10	PPM	
Pseudo. aeruginosa	PASS: NEGATIVE		
Staph. aureus	PASS: NEGATIVE		
gm negative bacteria	PASS: NEGATIVE		
Yeast & mold	PASS<100	cfu/g	
Aerobic bacteria	PASS<100	cfu/g	
E.coli	PASS: NEGATIVE		

The manufacturing site for this product is certified according to EFfCI

GMP : 2017,,,,,,,,,

,,,,,,,,,

Made from Mica mined in the USA

The aforementioned data shall constitute the agreed contractual quality of the product at the time of passing of risk. The data are controlled at regular intervals as part of our quality assurance program. Neither these data nor the properties of product specimens shall imply any legally binding guarantee of certain properties or of fitness for a specific purpose. No liability of ours can be derived therefrom.



Certificate of Analysis

(Representative Sample Certificate)

TKB TRADING, LLC

1101 9th Avenue
Oakland, CA 94606
Tel: (510)-922-9027

www.tkbtrading.com

Inspection Certificate 3.1 according to EN 10204

ASTER HUE

The color additive components in this product meet with applicable US FDA (21 CFR), China's Cosmetic Safety and Technical Standard (2015 version), and EU Cosmetic Regulation EC/1223/2009 specifications and purity criteria. We recommend that appropriate use be confirmed against each region's current cosmetic regulations.

''''''''
Some data may be indicative of a QC Batch.

This document was generated by computer and carries no signature.

The aforementioned data shall constitute the agreed contractual quality of the product at the time of passing of risk. The data are controlled at regular intervals as part of our quality assurance program. Neither these data nor the properties of product specimens shall imply any legally binding guarantee of certain properties or of fitness for a specific purpose. No liability of ours can be derived therefrom.
