

Safety Data Sheet

Revision date : 2014/07/27
Version: 2.0

Page: 1/8
(55645588/SDS_COS_US/EN)

1. Identification

Product identifier used on the label

Bismuth Oxychloride Pearl
KC-301

Recommended use of the chemical and restriction on use
Recommended use*: cosmetics

* The "Recommended use" identified for this product is provided solely to comply with a US Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Chemical family: inorganic pigment

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

No need for classification according to GHS criteria for this product.

Label elements

The product does not require a hazard warning label in accordance with GHS criteria.

According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Safety Data Sheet

Bismuth Oxychloride Pearl

Revision date : 2014/07/27 Version: 2.0

Page: 2/8
(55645588/SDS_COS_US/EN)

Emergency overview

No adverse health effects are anticipated if recommended personal protective equipment and industrial hygiene practices are used.

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

This product does not contain any components classified as hazardous under the referenced regulation.

According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

The product contains:

<u>CAS Number</u>	<u>Content (W/W)</u>	<u>Chemical name</u>
7787-59-9	98.0 %	Bismuthine, chlorooxo-

4. First-Aid Measures

Description of first aid measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air. If breathing difficulties develop, aid in breathing and seek immediate medical attention.

If on skin:

Wash thoroughly with soap and water. If irritation develops, seek medical attention.

If in eyes:

In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water. If irritation develops, seek medical attention.

If swallowed:

Rinse mouth and then drink plenty of water. Do not induce vomiting. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions.

Most important symptoms and effects, both acute and delayed

Symptoms: No significant symptoms are expected due to the non-classification of the product.

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

Safety Data Sheet

Bismuth Oxychloride Pearl

Revision date : 2014/07/27 Version: 2.0

Page: 3/8

5. Fire-Fighting Measures

(55645588/SDS_COS_US/EN)

Extinguishing media

Additional information:

Use extinguishing measures to suit surroundings.

Special hazards arising from the substance or mixture

Hazards during fire-fighting:

No particular hazards known.

Advice for fire-fighters

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Product itself is non-combustible; fire extinguishing method of surrounding areas must be considered.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Avoid dust formation. Ensure adequate ventilation. Information regarding personal protective measures see, section 8.

Environmental precautions

Do not discharge into drains/surface waters/groundwater. Discharge into the environment must be avoided.

Methods and material for containment and cleaning up

Avoid raising dust. Reclaim for processing if possible. Sweep up or vacuum small pieces and dusts and place in appropriate container for disposal.

7. Handling and Storage

Precautions for safe handling

Avoid dust formation. Ensure thorough ventilation of stores and work areas. Breathing must be protected when large quantities are decanted without local exhaust ventilation. Avoid contact with the skin, eyes and clothing.

Ensure adequate ventilation. Forms slippery surfaces with water.

Protection against fire and explosion:

No special precautions necessary.

Conditions for safe storage, including any incompatibilities

Suitable materials for containers: High density polyethylene (HDPE), Low density polyethylene (LDPE)

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place. Protect from direct sunlight.

Safety Data Sheet

Bismuth Oxychloride Pearl

Revision date : 2014/07/27 Version: 2.0

Page: 4/8
(55645588/SDS_COS_US/EN)

8. Exposure Controls/Personal Protection

Personal protective equipment

Respiratory protection:

Wear a NIOSH-certified (or equivalent) particulate respirator. Observe OSHA regulations for respirator use (29 CFR 1910.134).

Hand protection:

Wear chemical resistant protective gloves.

Eye protection:

Safety glasses with side-shields.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. In order to prevent contamination while handling, closed working clothes and working gloves should be used. Hands and/or face should be washed before breaks and at the end of the shift.

9. Physical and Chemical Properties

Form:	powder	
Odour:	odourless	
Odour threshold:		not determined
Colour:	white to silver	
pH value:	4.0 - 8.0	
Melting point:		The substance / product decomposes.
Boiling point:		not applicable
Flash point:		not applicable
Flammability:	not flammable	
Lower explosion limit:		Study does not need to be conducted.
Upper explosion limit:		Study does not need to be conducted.
Autoignition:		not applicable
Vapour pressure:		not applicable
Density:	7.7 g/ml	(20 °C)
Relative density:	7.7	
Bulk density:	427 - 610 kg/m3	
Vapour density:		The product is a non-volatile solid.
Partitioning coefficient n-octanol/water (log Pow):		The value has not been determined because the substance is inorganic.
Self-ignition temperature:		Based on its structural properties the product is not classified as self-igniting.
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.	
Viscosity, dynamic:		Study does not need to be conducted.
Particle size:	D95 6 - 15 µm	
Solubility in water:		insoluble
Evaporation rate:		The product is a non-volatile solid.

Safety Data Sheet

Bismuth Oxychloride Pearl

Revision date : 2014/07/27 Version: 2.0

Page: 5/8
(55645588/SDS_COS_US/EN)

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

No corrosive effect on metal.

Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing.

Chemical stability

The product is chemically stable.

Possibility of hazardous reactions

Hazardous polymerization will not occur.

No hazardous reactions when stored and handled according to instructions.

Conditions to avoid

Avoid dust formation. Avoid deposition of dust. See MSDS section 7 - Handling and storage.

Incompatible materials

acids, oxidizing agents

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

No decomposition if stored and handled as prescribed/indicated.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single ingestion. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Oral

Type of value: LD50

Species: rat

Value: > 5,000 mg/kg

Assessment other acute effects

Assessment of STOT single:

Based on available Data, the classification criteria are not met.

Safety Data Sheet

Bismuth Oxychloride Pearl

Revision date : 2014/07/27 Version: 2.0

Page: 6/8
(55645588/SDS_COS_US/EN)

Irritation / corrosion

Assessment of irritating effects: Contact with powders or dusts may irritate the eyes, skin and respiratory tract.

Sensitization

Assessment of sensitization: Skin sensitizing effects were not observed in animal studies. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Aspiration Hazard

No aspiration hazard expected.

Chronic Toxicity/Effects

Genetic toxicity

Assessment of mutagenicity: The chemical structure does not suggest a specific alert for such an effect.

Carcinogenicity

Assessment of carcinogenicity: The chemical structure does not suggest a specific alert for such an effect.

Reproductive toxicity

Assessment of reproduction toxicity: The chemical structure does not suggest a specific alert for such an effect.

Teratogenicity

Assessment of teratogenicity: No data was available concerning toxicity to development.

Other Information

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

Symptoms of Exposure

No significant symptoms are expected due to the non-classification of the product.

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

At the present state of knowledge, no negative ecological effects are expected.

Assessment of terrestrial toxicity

No data available concerning terrestrial toxicity.

Persistence and degradability

Assessment biodegradation and elimination (H2O)

The colourant is insoluble in water and can thus be separated from water mechanically in suitable effluent treatment plant

Safety Data Sheet

Bismuth Oxychloride Pearl

Revision date : 2014/07/27 Version: 2.0

Page: 7/8
(55645588/SDS_COS_US/EN)

Bioaccumulative potential

Assessment bioaccumulation potential

The product will not be readily bioavailable due to its consistency and insolubility in water.

Mobility in soil

Assessment transport between environmental compartments

not applicable

Additional information

Adsorbable organically-bound halogen (AOX):

This product contains no organically-bound halogen.

Add. remarks environm. fate & pathway:

Treatment in biological waste water treatment plants has to be performed according to local and administrative regulations.

Other ecotoxicological advice:

The product has not been tested. The statements on ecotoxicology have been derived from products of a similar structure and composition.

13. Disposal considerations

Waste disposal of substance:

Dispose of in accordance with national, state and local regulations. This product does not possess any of the four identifying characteristics of hazardous waste (ignitability, corrosivity, reactivity, or toxicity). Disposal requirements are dependent on the hazard classification and will vary by location and the type of disposal selected.

Container disposal:

Uncontaminated packaging can be re-used. Packs that cannot be cleaned should be disposed of in the same manner as the contents.

14. Transport Information

Land transport

USDOT

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information

Federal Regulations

Safety Data Sheet

Bismuth Oxychloride Pearl

Revision date : 2014/07/27 Version: 2.0

Page: 8/8
(55645588/SDS COS US/EN)

Registration status:

Chemical TSCA, US released / listed

Cosmetic TSCA, US released / exempt

EPCRA 311/312 (Hazard categories): Not hazardous;

NFPA Hazard codes:

Health : 0 Fire: 0 Reactivity: 0 Special:

HMIS III rating

Health: 0 Flammability: 0 Physical hazard: 0

16. Other Information

SDS Prepared by:

TKB Trading, LLC

SDS Prepared on: 2014/07/27

Bismuth Oxychloride Pearl is a registered trademark of TKB Trading, LLC: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. Due to the merger of TKB Trading, LLC all Material Safety Data Sheets have been reassessed on the basis of consolidated information. This may have resulted in changes of the Material Safety Data Sheets. In case you have questions concerning such changes please contact us under the address mentioned in Section I.

END OF DATA SHEET