



# Safety Data Sheet

## ***Bronze Reflecks***

Revision date : 2020/02/04  
Version: 5.0

Page: 1/9  
(30322677/SDS\_COS\_US/EN)

### 1. Identification

**Product identifier used on the label**

**Bronze Reflecks**

**Recommended use of the chemical and restriction on use**

Recommended use\*: cosmetic ingredient  
Recommended use\*: cosmetics

\* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

**Details of the supplier of the safety data sheet**

**TKB TRADING, LLC**

1101 9th Avenue

Oakland, CA 94606

Tel: (510)-922-9027

[www.tkbtrading.com](http://www.tkbtrading.com)

**Other means of identification**

Chemical family: metal oxides

---

### 2. Hazards Identification

**According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200**

**Classification of the product**

No need for classification according to GHS criteria for this product.

**Label elements**

The product does not require a hazard warning label in accordance with GHS criteria.

### **Hazards not otherwise classified**

No specific dangers known, if the regulations/notes for storage and handling are considered.

---

## **3. Composition / Information on Ingredients**

### **According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200**

Tin oxide (SnO<sub>2</sub>)

CAS Number: 18282-10-5

Content (W/W):  $\geq 0.0$  -  $< 2.0\%$

Synonym: Tin dioxide

Iron oxide

CAS Number: 1309-37-1

Content (W/W):  $\geq 2.0$  -  $< 7.0\%$

Synonym: C.I. 77015

Glass, oxide, chemicals

CAS Number: 65997-17-3

Content (W/W):  $\geq 75.0$  -  $< 100.0\%$

Synonym: Glass, oxide

---

## **4. First-Aid Measures**

### **Description of first aid measures**

#### **General advice:**

Remove contaminated clothing.

#### **If inhaled:**

If difficulties occur after dust has been inhaled, remove to fresh air and seek medical attention.

#### **If on skin:**

Wash thoroughly with soap and water.

#### **If in eyes:**

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

#### **If swallowed:**

Rinse mouth and then drink 200-300 ml of water.

### **Most important symptoms and effects, both acute and delayed**

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

### **Indication of any immediate medical attention and special treatment needed**

#### Note to physician

Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

## 5. Fire-Fighting Measures

### Extinguishing media

Additional information:

Use extinguishing measures to suit surroundings.

### Special hazards arising from the substance or mixture

Hazards during fire-fighting:

No particular hazards known.

### Advice for fire-fighters

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

### Further information:

Product itself is non-combustible; fire extinguishing method of surrounding areas must be considered.

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

---

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Avoid dust formation.

Wear appropriate respiratory protection. Use personal protective clothing. Ensure adequate ventilation.

### Environmental precautions

Do not empty into drains.

This product is not regulated by RCRA. This product is not regulated by CERCLA ('Superfund').

### Methods and material for containment and cleaning up

For small amounts: Pick up with suitable appliance and dispose of.

For large amounts: Pick up with suitable appliance and dispose of.

Spills should be contained and placed in suitable containers for disposal.

---

## 7. Handling and Storage

### Precautions for safe handling

Closed containers should only be opened in well-ventilated areas.

Protection against fire and explosion:

No special precautions necessary.

See SDS section 5 - Fire fighting measures. Prevent electrostatic charge accumulation.

### Conditions for safe storage, including any incompatibilities

Further information on storage conditions: No special precautions necessary.

## 8. Exposure Controls/Personal Protection

### Components with occupational exposure limits

Iron oxide	OSHA PEL	PEL 10 mg/m <sup>3</sup> fumes/smoke ; TWA value 10 mg/m <sup>3</sup> fumes/smoke ;
	ACGIH TLV	TWA value 5 mg/m <sup>3</sup> Respirable fraction ;
Tin oxide (SnO <sub>2</sub> )	ACGIH TLV	TWA value 2 mg/m <sup>3</sup> Inhalable fraction (tin (Sn));
	ACGIH TLV	TWA value 5 mg/m <sup>3</sup> Inhalable fraction ; TWA value 1 fibers/cm <sup>3</sup> Fiber ; TWA value 0.2 fibers/cm <sup>3</sup> Fiber ;
Glass, oxide, chemicals	ACGIH TLV	TWA value 5 mg/m <sup>3</sup> Inhalable fraction ; TWA value 1 fibers/cm <sup>3</sup> Fiber ; TWA value 0.2 fibers/cm <sup>3</sup> Fiber ;
	ACGIH TLV	TWA value 5 mg/m <sup>3</sup> Inhalable fraction ; TWA value 1 fibers/cm <sup>3</sup> Fiber ; TWA value 0.2 fibers/cm <sup>3</sup> Fiber ;

### Personal protective equipment

#### **Respiratory protection:**

Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. Observe OSHA regulations for respirator use (29 CFR 1910.134).

#### **Hand protection:**

Chemical resistant protective gloves

#### **Eye protection:**

Safety glasses with side-shields.

#### **Body protection:**

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

#### **General safety and hygiene measures:**

Handle in accordance with good industrial hygiene and safety practice. Due to the colouring properties of the product closed work clothes should be used, to avoid stains during manipulation. Hands and/or face should be washed before breaks and at the end of the shift. Wash soiled clothing immediately.

## 9. Physical and Chemical Properties

Form:	powder
Odour:	odourless
Colour:	bronze colour
pH value:	7.0 - 11.0 ( 4 %(m))
Melting point:	The substance / product decomposes.
Flash point:	not applicable
Flammability:	not flammable
Flammability of Aerosol	not applicable, the product does not form flammable aerosoles
Products:	form flammable aerosoles
Upper explosion limit:	For solids not relevant for classification and labelling.

Autoignition:	not applicable
Vapour pressure:	not applicable
Density:	2.8 kg/l ( 20 °C)
Relative density:	2.8
Bulk density:	650 kg/m <sup>3</sup>
Partitioning coefficient n-octanol/water (log Pow):	Study does not need to be conducted.
Self-ignition temperature:	not self-igniting
Thermal decomposition:	not determined
Particle size:	D10 57 µm D50 105 µm D90 189 µm
Solubility in water:	insoluble
Solubility (quantitative):	insoluble

---

## 10. Stability and Reactivity

### Reactivity

Oxidizing properties:  
not fire-propagating

### Chemical stability

The product is stable if stored and handled as prescribed/indicated.

### Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.  
The product is chemically stable.  
Hazardous polymerization will not occur.

### Conditions to avoid

See SDS section 7 - Handling and storage. Avoid dust formation. Avoid deposition of dust.

### Incompatible materials

No substances known that should be avoided.

### Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:  
not determined

---

## 11. Toxicological information

### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

### Acute Toxicity/Effects

#### Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single ingestion. Product may present a nuisance dust hazard.

#### Oral

Type of value: LD50

Species: rat

Value: > 2,000 mg/kg

The product has not been tested. The statement has been derived from the properties of the individual components.

#### Inhalation

Type of value: LC50

not determined

#### Dermal

Type of value: LD50

not determined

#### Irritation / corrosion

Assessment of irritating effects: Inhalation of dust may cause respiratory tract irritation, coughing and breathing difficulties. Contact with the eyes or skin may cause mechanical irritation.

#### Skin

Species: rabbit

Result: non-irritant

The product has not been tested. The statement has been derived from the properties of the individual components.

May cause mechanical irritation.

#### Eye

Species: rabbit

Result: non-irritant

The product has not been tested. The statement has been derived from the properties of the individual components.

May cause mechanical irritation.

#### Sensitization

Assessment of sensitization: The chemical structure does not suggest a sensitizing effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Guinea pig maximization test

Species: guinea pig

Result: Non-sensitizing.

Method: OECD Guideline 406

The product has not been tested. The statement has been derived from the properties of the individual components.

#### Aspiration Hazard

No aspiration hazard expected.

### **Chronic Toxicity/Effects**

#### Repeated dose toxicity

Assessment of repeated dose toxicity: Prolonged or repeated exposure may cause pulmonary problems.

Genetic toxicity

Assessment of mutagenicity: No data was available concerning mutagenic activity. The chemical structure does not suggest a specific alert for such an effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Reproductive toxicity

Assessment of reproduction toxicity: The chemical structure does not suggest a specific alert for such an effect.

Teratogenicity

Assessment of teratogenicity: No reliable data was available concerning teratogenicity.

Other Information

The product has not been tested. The statements on toxicology have been derived from the properties of the individual components. The product has been assessed on the basis of the components' available data. To some extent data gaps exist for individual components. According to our present knowledge and experience dangers which are not covered by the current labeling are not to be expected.

---

## 12. Ecological Information

### Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

At the present state of knowledge, no negative ecological effects are expected.

Toxicity to fish

LC50 (96 h), Fish  
not determined

Aquatic invertebrates

LC50 (48 h), daphnia  
not determined

Aquatic plants

EC50 (72 h), algae  
not determined

Chronic toxicity to fish

No data available.

Chronic toxicity to aquatic invertebrates

No data available.

### Microorganisms/Effect on activated sludge

Toxicity to microorganisms

bacteria/EC50 (0.5 h):  
not determined

### Persistence and degradability

Assessment biodegradation and elimination (H2O)

The product is virtually insoluble in water and can thus be separated from water mechanically in suitable effluent treatment plants.

**Additional information**

Other ecotoxicological advice:

The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations. The product has not been tested. The statement has been derived from the properties of the individual components.

---

## 13. Disposal considerations

**Waste disposal of substance:**

Dispose of in a licensed facility. Do not discharge into drains/surface waters/groundwater. It is the waste generator's responsibility to determine if a particular waste is hazardous under RCRA.

**Container disposal:**

Uncontaminated packaging can be re-used. Packs that cannot be cleaned should be disposed of in the same manner as the contents.

---

## 14. Transport Information

**Land transport**

USDOT

Not classified as a dangerous good under transport regulations

**Sea transport**

IMDG

Not classified as a dangerous good under transport regulations

**Air transport**

IATA/ICAO

Not classified as a dangerous good under transport regulations

---

## 15. Regulatory Information

**Federal Regulations**

**Registration status:**

Cosmetic TSCA, US released / exempt

**EPCRA 311/312 (Hazard categories):** Refer to SDS section 2 for GHS hazard classes applicable for this product.

**State regulations**

**State RTK**

PA

**CAS Number**

1309-37-1

65997-17-3

65997-17-3

**Chemical name**

Iron oxide

Glass, oxide, chemicals

Glass, oxide, chemicals

**NFPA Hazard codes:**

Health: 1      Fire: 0      Reactivity: 0      Special:

**HMIS III rating**

Health: 1      Flammability: 0      Physical hazard: 0

---

## 16. Other Information

SDS Prepared on: 2020/02/04

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

---