



TKB TRADING, LLC
1101 9th Avenue
Oakland, CA 94606
Tel: (510) 922-9027
www.tkbtrading.com

Safety Data Sheet

Burning Leaves Reflecks

Revision date : 4-19-2021
Version: 4.0

Page: 1/9

1. Identification

Product identifier used on the label

Burning Leaves Reflecks

Recommended use of the chemical and restriction on use

Recommended use*: cosmetic ingredient
Recommended use*: cosmetics

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:

1101 9th Avenue

Oakland, CA 94606

www.tkbtrading.com

Telephone: +1 (510) 922-9027

Other means of identification

Chemical family: metal oxides
INCI Name: Calcium Sodium Borosilicate, Iron Oxides

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

No need for classification according to GHS criteria for this product.

Label elements

The product does not require a hazard warning label in accordance with GHS criteria.

Safety Data Sheet

Burning Leaves Reflects

Revision date : 4-19-2021
Version: 4.0

Page: 2/9

Hazards not otherwise classified

No specific dangers known, if the regulations/notes for storage and handling are considered.

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Iron oxide

CAS Number: 1309-37-1

Content (W/W): ≥ 4.5 - $\leq 8.5\%$

Synonym: C.I. 77015

Tin oxide (SnO₂)

CAS Number: 18282-10-5

Content (W/W): ≥ 0.0 - $\leq 1.0\%$

Synonym: Tin dioxide

Glass, oxide, chemicals

CAS Number: 65997-17-3

Content (W/W): ≥ 90.5 - $\leq 95.5\%$

Synonym: Glass, oxide

4. First-Aid Measures

Description of first aid measures

General advice:

Remove contaminated clothing.

If inhaled:

If difficulties occur after dust has been inhaled, remove to fresh air and seek medical attention.

If on skin:

Wash thoroughly with soap and water.

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open. Seek medical attention.

If swallowed:

Rinse mouth and then drink 200-300 ml of water.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

Hazards: No hazard is expected under intended use and appropriate handling.

Indication of any immediate medical attention and special treatment needed

Safety Data Sheet

Burning Leaves Reflects

Revision date : 4-19-2021
Version: 4.0

Page: 3/9

Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:
dry powder, foam

Unsuitable extinguishing media for safety reasons:
carbon dioxide

Special hazards arising from the substance or mixture

Hazards during fire-fighting:
No particular hazards known.

Advice for fire-fighters

Protective equipment for fire-fighting:
Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Product itself is non-combustible; fire extinguishing method of surrounding areas must be considered.

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Information regarding personal protective measures, see section 8.

Wear appropriate respiratory protection. Use personal protective clothing. Ensure adequate ventilation.

Environmental precautions

Do not empty into drains.

This product is not regulated by RCRA. This product is not regulated by CERCLA ('Superfund').

Methods and material for containment and cleaning up

For small amounts: Pick up with suitable appliance and dispose of.

For large amounts: Pick up with suitable appliance and dispose of.

Spills should be contained and placed in suitable containers for disposal.

7. Handling and Storage

Precautions for safe handling

Closed containers should only be opened in well-ventilated areas.

Safety Data Sheet

Burning Leaves Reflects

Revision date : 4-19-2021

Page: 4/9

Version: 4.0

Protection against fire and explosion:
No special precautions necessary.

See SDS section 5 - Fire fighting measures. Prevent electrostatic charge accumulation.

Conditions for safe storage, including any incompatibilities

Suitable materials for containers: High density polyethylene (HDPE), Low density polyethylene (LDPE)

Further information on storage conditions: No special precautions necessary.

8. Exposure Controls/Personal Protection

Components with occupational exposure limits

| | | |
|-------------------------------|-----------|--|
| Iron oxide | OSHA PEL | PEL 10 mg/m ³ fumes/smoke ; TWA value 10 mg/m ³ fumes/smoke ; |
| | ACGIH TLV | TWA value 5 mg/m ³ Respirable fraction ; |
| Tin oxide (SnO ₂) | ACGIH TLV | TWA value 2 mg/m ³ Inhalable fraction (tin (Sn)); |
| Glass, oxide, chemicals | ACGIH TLV | TWA value 5 mg/m ³ Inhalable fraction ; TWA value 1 fibers/cm ³ Fiber ; TWA value 0.2 fibers/cm ³ Fiber ; |

Personal protective equipment

Respiratory protection:

Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. Observe OSHA regulations for respirator use (29 CFR 1910.134).

Hand protection:

Chemical resistant protective gloves

Eye protection:

Safety glasses with side-shields.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Due to the colouring properties of the product closed work clothes should be used, to avoid stains during manipulation. Hands and/or face should be washed before breaks and at the end of the shift. Wash soiled clothing immediately.

9. Physical and Chemical Properties

Form: powder
Odour: odourless

Safety Data Sheet

Burning Leaves Reflects

Revision date : 4-19-2021

Page: 5/9

Version: 4.0

| | |
|---|--|
| Odour threshold: | not determined |
| Colour: | red |
| pH value: | 7.0 - 11.0 (4 %(m)) (as aqueous solution) |
| Melting point: | The substance / product decomposes. |
| Boiling point: | not applicable |
| Flash point: | not applicable |
| Flammability: | not flammable |
| Flammability of Aerosol Products: | not applicable, the product does not form flammable aerosoles |
| Lower explosion limit: | For solids not relevant for classification and labelling. |
| Upper explosion limit: | For solids not relevant for classification and labelling. |
| Autoignition: | not applicable |
| Vapour pressure: | not applicable |
| Density: | 2.8 kg/l (20 °C) |
| Relative density: | 2.8 |
| Bulk density: | 677 kg/m ³ |
| Vapour density: | The product is a non-volatile solid. |
| Partitioning coefficient n-octanol/water (log Pow): | Study does not need to be conducted. |
| Self-ignition temperature: | not self-igniting |
| Thermal decomposition: | not determined |
| Viscosity, dynamic: | not applicable, the product is a solid |
| Viscosity, kinematic: | not applicable, the product is a solid |
| Particle size: | D10 52 µm D50 105 µm D90 189 µm |
| Solubility in water: | insoluble |
| Solubility (quantitative): | insoluble |
| Evaporation rate: | The product is a non-volatile solid. |
| Other Information: | If necessary, information on other physical and chemical parameters is indicated in this section. No further information available. |

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

No corrosive effect on metal.

Oxidizing properties:

not fire-propagating

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

The product is chemically stable.

Safety Data Sheet

Burning Leaves Reflects

Revision date : 4-19-2021

Page: 6/9

Version: 4.0

Hazardous polymerization will not occur.

Conditions to avoid

See SDS section 7 - Handling and storage. Avoid dust formation. Avoid deposition of dust.

Incompatible materials

No substances known that should be avoided.

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

not determined

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Product may present a nuisance dust hazard. If used as intended, this product is not expected to present a physical or health hazard.

Oral

Type of value: LD50

Species: rat

Value: > 2,000 mg/kg

The product has not been tested. The statement has been derived from the properties of the individual components.

Inhalation

Type of value: LC50

not determined

Dermal

Type of value: LD50

not determined

Assessment other acute effects

Assessment of STOT single:

Based on available Data, the classification criteria are not met.

Irritation / corrosion

Assessment of irritating effects: Inhalation of dust may cause respiratory tract irritation, coughing and breathing difficulties. Contact with the eyes or skin may cause mechanical irritation.

Skin

May cause mechanical irritation.

Safety Data Sheet

Burning Leaves Reflects

Revision date : 4-19-2021

Page: 7/9

Version: 4.0

Eye

May cause mechanical irritation.

Sensitization

Guinea pig maximization test

Species: guinea pig

Result: Non-sensitizing.

Method: OECD Guideline 406

The product has not been tested. The statement has been derived from the properties of the individual components.

Aspiration Hazard

No aspiration hazard expected.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: Prolonged or repeated exposure may cause pulmonary problems.

Reproductive toxicity

Assessment of reproduction toxicity: The chemical structure does not suggest a specific alert for such an effect.

Teratogenicity

Assessment of teratogenicity: No data was available concerning toxicity to development.

Other Information

The product has not been tested. The statements on toxicology have been derived from the properties of the individual components. The product has been assessed on the basis of the components' available data. To some extent data gaps exist for individual components. According to our present knowledge and experience dangers which are not covered by the current labeling are not to be expected.

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

At the present state of knowledge, no negative ecological effects are expected.

Toxicity to fish

LC50 > 100 mg/l

Aquatic invertebrates

LC50 (48 h), daphnia

not determined

Aquatic plants

EC50 (72 h), algae

not determined

Microorganisms/Effect on activated sludge

Safety Data Sheet

Burning Leaves Reflects

Revision date : 4-19-2021

Page: 8/9

Version: 4.0

Toxicity to microorganisms

activated sludge/EC0: > 100 mg/l

Persistence and degradability

Assessment biodegradation and elimination (H2O)

The product is virtually insoluble in water and can thus be separated from water mechanically in suitable effluent treatment plants.

Mobility in soil

Assessment transport between environmental compartments

not applicable

Additional information

Other ecotoxicological advice:

The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations. The product has not been tested. The statement has been derived from the properties of the individual components.

13. Disposal considerations

Waste disposal of substance:

Must be disposed of or incinerated in accordance with local regulations.

Dispose of in a licensed facility. Do not discharge into drains/surface waters/groundwater. It is the waste generator's responsibility to determine if a particular waste is hazardous under RCRA.

Container disposal:

Uncontaminated packaging can be re-used. Packs that cannot be cleaned should be disposed of in the same manner as the contents.

14. Transport Information

Land transport

USDOT

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information

Federal Regulations

Registration status:

Cosmetic TSCA, US released / exempt

Safety Data Sheet

Burning Leaves Reflects

Revision date : 4-19-2021

Page: 9/9

Version: 4.0

EPCRA 311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

State regulations

State RTK

| <u>State RTK</u> | <u>CAS Number</u> | <u>Chemical name</u> |
|------------------|-------------------|-------------------------------|
| NJ | 1309-37-1 | Iron oxide |
| | 18282-10-5 | Tin oxide (SnO ₂) |
| | 65997-17-3 | Glass, oxide, chemicals |
| PA | 1309-37-1 | Iron oxide |
| | 65997-17-3 | Glass, oxide, chemicals |

NFPA Hazard codes:

Health: 1 Fire: 1 Reactivity: 0 Special:

HMIS III rating

Health: 1 Flammability: 1 Physical hazard: 0

16. Other Information

SDS Prepared by:

SDS Prepared on: 2020/02/04

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

END OF DATA SHEET