



Certificate of Analysis

Product Name: Extra Bright
Batch No.: N/A — Representative Sample
Best Before: 10 years from production date

COMPOSITION

Ingredient	Units	Min	Max
Mica	%	69.0	75.0
TiO ₂	%	25.0	31.0

PHYSICAL PROPERTIES

Parameter	Units	Min	Max
pH	—	7.0	11.0
Appearance	—	—	—

HEAVY METALS

Element	Units	Max
Antimony	ppm	2.0
Arsenic	ppm	1.0
Cadmium	ppm	1.0
Chromium	ppm	60.0
Cobalt	ppm	10.0
Copper	ppm	50.0
Mercury	ppm	1.0
Nickel	ppm	40.0
Lead	ppm	10.0
Selenium	ppm	10.0
Zinc	ppm	100.0

MICROBIAL PURITY

Test	Limit	Result
Aerobic bacteria	<100 CFU/g	—
E. coli (10g)	Absent	—
Gram neg. bacteria (10g)	Absent	—
Pseudo. aeruginosa (10g)	Absent	—
Staph. aureus (10g)	Absent	—
Yeast & Mold	<100 CFU/g	—

*Representative sample COA. Batch-specific results will be provided upon request.
It is hereby confirmed that the delivered goods have been examined and are in accordance with our confirmation of order.*