# TKB

#### TKB TRADING, LLC

1101 9th Avenue Oakland, CA 94606 Tel: 510-922-9027 www.tkbtrading.com

# SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Version 1.1

#### **SECTION 1.Identification**

#### **Product identifier**

Product name HILITE GOLD

# Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cosmetic raw material

# Details of the supplier of the safety data sheet

Supplier: TKB TRADING, LLC

1101 9th Avenue Oakland, CA 94606 Tel: 510-922-9027 www.tkbtrading.com

#### SECTION 2. Hazards identification

# **GHS-Labeling**

Not a dangerous substance according to GHS.

#### Other hazards

None known.

# SECTION 3. Composition/information on ingredients

Chemical nature Mica coated with:

titanium dioxide silicon dioxide

# Hazardous ingredients

Chemical Name (Concentration)
CAS-No.

titanium(IV) oxide (>= 43 % - < 53 %)

13463-67-7

Exact percentages are being wihtheld as a trade secret.

mica (muscovite) (>= 33 % - < 47 %)

12001-26-2

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product name HILITE GOLD Version 1.1

Exact percentages are being wihtheld as a trade secret.

silicon dioxide (>= 10 % - < 14 % )

7631-86-9

Exact percentages are being wihtheld as a trade secret.

#### **SECTION 4. First aid measures**

# Description of first-aid measures

Inhalation

After inhalation: fresh air.

Skin contact

After skin contact: wash off with plenty of water. Remove contaminated clothing.

Eye contact

After eye contact: rinse out with plenty of water.

Ingestion

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

Never give anything by mouth to an unconscious person.

#### Most important symptoms and effects, both acute and delayed

We have no description of any toxic symptoms.

#### Indication of any immediate medical attention and special treatment needed

No information available.

#### SECTION 5. Fire-fighting measures

#### Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

#### Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapors.

#### Advice for firefighters

Special protective equipment for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Further information

Suppress (knock down) gases/vapors/mists with a water spray jet.

#### **SECTION 6. Accidental release measures**

#### Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product name HILITE GOLD Version 1.1

Advice for emergency responders:

Protective equipment see section 8.

# **Environmental precautions**

No special precautionary measures necessary.

# Methods and materials for containment and cleaning up

Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

#### SECTION 7. Handling and storage

#### Precautions for safe handling

Observe label precautions.

# Conditions for safe storage, including any incompatibilities

Tightly closed. Dry.

Storage temperature: no restrictions.

#### SECTION 8. Exposure controls/personal protection

# Exposure limit(s)

Ingredients

Basis Value Threshold Remarks limits

titanium(IV) oxide 13463-67-7

ACGIH Time Weighted Average 10 mg/m<sup>3</sup>

(TWA):

OSHA\_TRANS PEL: 15 mg/m³ Form of exposure: Total dust.

Z1A Time Weighted Average 10 mg/m³ Form of exposure: Total dust.

(TWA):

mica (muscovite) 12001-26-2

ACGIH Time Weighted Average 3 mg/m³ Form of exposure: Respirable fraction.

(TWA):

NIOSH/GUIDE Recommended 3 mg/m³ Form of exposure: Respirable.

exposure limit (REL):

Z1A Time Weighted Average 3 mg/m³ Form of exposure: Respirable dust.

(TWA):

Time Weighted Average 20millions of (TWA): particles per

cubic foot of air

silicon dioxide 7631-86-9

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Version 1.1 Product name HILITE GOLD

NIOSH/GUIDE Recommended 6 mg/m<sup>3</sup> exposure limit (REL): Z1A Time Weighted Average 6 mg/m<sup>3</sup>

(TWA):

Time Weighted Average

(TWA):

20millions of particles per cubic foot of air

Time Weighted Average

(TWA):

0.8 mg/m<sup>3</sup>

The exposure limit is calculated from the equation,

80/(%SiO2), using a value of 100% SiO2. Lower values of %

SiO2 will give higher exposure limits.

# **Engineering measures**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

# Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

# Hygiene measures

Change contaminated clothing. Wash hands after working with substance.

# Eve/face protection

Safety glasses

# Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

# Respiratory protection

required when dusts are generated.

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

# SECTION 9. Physical and chemical properties

Physical state powder

Color light yellow

Odor odorless

Odor Threshold No information available.

8.0 - 11.0pΗ

> at 100 g/l 68 °F (20 °C) (slurry)

No information available. Melting point

Boiling point No information available.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product name HILITE GOLD Version 1.1

Flash point Not applicable

Evaporation rate No information available.

Flammability (solid, gas) No information available.

Lower explosion limit No information available.

Upper explosion limit No information available.

Vapor pressure No information available.

Relative vapor density No information available.

Density 2.9 - 3.1 g/cm<sup>3</sup>

at 68 °F (20 °C)

Relative density No information available.

Water solubility at 68 °F (20 °C)

practically insoluble

Partition coefficient: n-

octanol/water

No information available.

Autoignition temperature No information available.

Decomposition temperature No information available.

Viscosity, dynamic No information available.

Explosive properties No information available.

Oxidizing properties No information available.

Bulk density 260 - 300 kg/m³

Particle size Particle size

10.0 - 60.0 µm

Mean particle size 18.0 - 25.0 µm

# SECTION 10. Stability and reactivity

#### Reactivity

See below

#### Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

#### Possibility of hazardous reactions

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product name HILITE GOLD Version 1.1

no information available

#### Conditions to avoid

no information available

# Incompatible materials

no information available

# Hazardous decomposition products

in the event of fire: See section 5.

#### **SECTION 11. Toxicological information**

# Information on toxicological effects

Likely route of exposure

Inhalation, Eye contact, Skin contact, Ingestion

Target Organs

Respiratory system

Eyes

Specific target organ systemic toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ systemic toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Regarding the available data the classification criteria are not fulfilled.

#### Carcinogenicity

IARC Group 2B: Possibly carcinogenic to humans

titanium(IV) oxide 13463-67-7

OSHA No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

ACGIH No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by ACGIH.

#### **Further information**

Quantitative data on the toxicity of this product are not available.

Further toxicological data:

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product name HILITE GOLD Version 1.1

The results of animal experiments using pigments of this type indicate no toxicologically relevant properties. Since the substance is poorly absorbed, no hazardous properties are to be anticipated. Inhalation of the dusts should be avoided as even inert dusts may impair respiratory organ functions. The individual test results were as follows: skin tolerance (rabbit): no irritant effect; eye irritation test (rabbit): no irritant effect; sensitization test (guinea pig): no sensitizing potential. LD##<sub>0</sub>(oral, rat): not determinable; all animals still alive after 15,000 mg/kg., Since the substance is poorly absorbed, no systemic effects are to be anticipated., Inhalation of the dusts should be avoided as even inert dusts may impair respiratory organ functions.

# Ingredients

# titanium(IV) oxide

Acute oral toxicity

LD50 Rat: > 10,000 mg/kg (External MSDS)

Skin irritation

Rabbit

Result: No skin irritation

(IUCLID)

Eye irritation

Rabbit

Result: No eye irritation

(IUCLID)

#### mica (muscovite)

No information available.

#### silicon dioxide

Acute dermal toxicity

Rabbit: > 5,000 mg/kg (IUCLID)

Skin irritation

Rabbit

Result: No irritation

OECD Test Guideline 404

Eye irritation

Rabbit

Result: No eye irritation

OECD Test Guideline 405

Sensitization

Sensitization test: Guinea pig

Result: negative

(IUCLID)

Germ cell mutagenicity

Genotoxicity in vitro

Ames test

Salmonella typhimurium

Result: negative

(IUCLID)

Mutagenicity (mammal cell test): chromosome aberration.

Result: negative

(IUCLID)

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product name HILITE GOLD Version 1.1

# **SECTION 12. Ecological information**

#### **Ecotoxicity**

No information available.

# Persistence and degradability

No information available.

# Bioaccumulative potential

No information available.

# Mobility in soil

No information available.

#### Additional ecological information

We have no quantitative data concerning the ecological effects of this product.

Further information on ecology

No ecological problems are to be expected when the product is handled and used with due care and attention.

# Ingredients

## titanium(IV) oxide

Toxicity to fish

LC0 Leuciscus idus (Golden orfe): > 1,000 mg/l(External MSDS)

Toxicity to bacteria

EC0 Pseudomonas fluorescens: > 5,000 mg/l(External MSDS)

#### mica (muscovite)

No information available.

# silicon dioxide

Toxicity to daphnia and other aquatic invertebrates EC0 Daphnia magna (Water flea): >= 10,000 mg/l; 24 h OECD Test Guideline 202

Toxicity to algae

IC50 Pseudokirchneriella subcapitata (green algae): 440 mg/l; 72 h (IUCLID)

NOEC Pseudokirchneriella subcapitata (green algae): 60 mg/l; 72 h (IUCLID)

# **SECTION 13. Disposal considerations**

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product name HILITE GOLD Version 1.1

#### **SECTION 14. Transport information**

# Land transport (DOT)

Not classified as dangerous in the meaning of transport regulations.

#### Air transport (IATA)

Not classified as dangerous in the meaning of transport regulations.

#### Sea transport (IMDG)

Not classified as dangerous in the meaning of transport regulations.

# **SECTION 15. Regulatory information**

#### **United States of America**

#### **SARA 313**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### **SARA 302**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311,

# Table 117.3. **DEA List I**

Not listed

#### **DEA List II**

Not listed

# **US State Regulations**

# Massachusetts Right To Know

Ingredients titanium(IV) oxide

mica (muscovite)

silicon dioxide

# Pennsylvania Right To Know

Ingredients

titanium(IV) oxide

mica (muscovite)

silicon dioxide

#### New Jersey Right To Know

**Inaredients** 

titanium(IV) oxide

mica (muscovite)

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product name HILITE GOLD Version 1.1

silicon dioxide

# California Prop 65 Components

WARNING: this product contains a chemical known in the State of California to cause cancer.

Ingredients titanium(IV) oxide

#### Notification status

TSCA: All components of the product are listed in the TSCA-inventory.

DSL: All components of this product are on the Canadian DSL.

KOREA: Not in compliance with the inventory

# **SECTION 16. Other information**

#### Training advice

Provide adequate information, instruction and training for operators.

#### Labeling

Precautionary Statements
Prevention
P260 Do not breathe dust.

# Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.