



TKB TRADING, LLC  
 1101 9th Avenue  
 Oakland, CA 94606  
 Tel: 510-922-9027  
 www.tkbtrading.com

**MATERIAL SAFETY DATA SHEET**


**Lanolin**

**CAS NO: 8006-54-0**

**NFPA HAZARD RATING**

- 4 - Extreme
- 3 - High
- 2 - Moderate
- 1 - Slight
- 0 - Insignificant

Flammability



**HMIS HAZARD INDEX (Hazardous Materials Identification System)**

- 4 - Severe
- 3 - Serious
- 2 - Moderate
- 1 - Slight
- 0 - Minimal

**HMIS RATINGS**

Health 0  
 Flammability 1  
 Reactivity 0  
 Personal Protection \_\_\_\_\_

**SECTION II - CHEMICAL AND PHYSICAL PROPERTIES**

**Chemical Name**

Lanolin USP

**Hazardous Decomposition Products**

Carbon monoxide and carbon dioxide from burning

**Incompatibility (Keep Away From)**

Strong oxidizing agents

**Toxic and Hazardous Ingredients**

None

**Form**

Unctuous Solid

**Odor**

Slight Characteristic

**Color**

Yellow to Amber

**Density g/ml**

0.94-0.97

**Boiling Point**

Not available

**Melting Point**

38-44 °C

**Solubility in Water (by weight %)**

Not Soluble

**Volatile (by weight %)**

Not applicable

**Evaporation Rate**

Not applicable

**Vapor Pressure (mm Hg at 20 °C)**

Not applicable

**Vapor Density (air = 1)**

Not applicable

**pH (as is)**

Not applicable

**Stability**

Product is stable under normal conditions

**Viscosity SUS at 100 °F**

Not applicable

## MATERIAL SAFETY DATA SHEET

Lanolin

### SECTION III - FIRE AND EXPLOSION DATA

<b><u>Special Fire Fighting Procedures</u></b>	Self-contained breathing apparatus is recommended for firefighters. Apply water spray or gentle mist, heavy application on hot lanolin could cause foaming. Avoid contact with hot lanolin.
<b><u>Unusual Fire and Explosion Hazards</u></b>	None
<b><u>Flashpoint</u></b>	455°F open cup
<b><u>Flammable Limits %</u></b>	Not data available
<b><u>Extinguishing Agents</u></b>	Dry chemical, water spray, CO <sub>2</sub> foam or sand/earth. Closed containers exposed to fire may be cooled with water

### SECTION IV - HEALTH HAZARD DATA

<b><u>Chronic Effects of Overexposure</u></b>	This material does not contain any chemical listed as a carcinogen or potential carcinogen by OSHA
<b><u>Acute Toxicological Properties</u></b>	No data available
<b><u>Emergency First Aid Procedures</u></b>	
<b><u>Eyes</u></b>	Flush with large amounts of water for at least 15 minutes. If irritation persists, call a physician
<b><u>Skin Contact</u></b>	Not applicable
<b><u>Inhalation</u></b>	Not applicable
<b><u>If Swallowed</u></b>	Not applicable

### SECTION V - SPECIAL PROTECTION INFORMATION

<b><u>Respiratory Protection (Specify Type)</u></b>	None
<b><u>Protective Gloves</u></b>	Usually not needed
<b><u>Eye Protection</u></b>	Usually not needed
<b><u>Other Protective Equipment</u></b>	None

## MATERIAL SAFETY DATA SHEET

Lanolin

PRODUCT CODE: 941

---

### SECTION VI - HANDLING OF SPILLS OR LEAKS

---

**Procedures for Clean-Up**

Shut off leak and dike up large spills. Absorb with an inert material such as earth, sand or vermiculite. Sweep up and dispose of in accordance with Federal, State, and Local regulations

**Waste Disposal**

Dispose of in accordance with all applicable Federal, State, and Local regulations

---

### SECTION VII - SPECIAL PRECAUTIONS

---

**Precautions to be taken in handling and storage**

**Recommended Storage Temperatures**

**Other Precautions**

Keep away from heat and flames

Do not store near strong oxidizing agents

65°F to 85°F

Do not keep soiled rags or other absorbent type materials under high temperature and/or within closed containers in the presence of oxygen.

The statements, technical information, and recommendations contained herein are reliable, but are given without warranty or guarantee of any kind, expressed or implied, and TKB Trading LLC assumes no responsibility for any loss, damage or expense, direct or consequential, arising out of their use.