



TKB TRADING, LLC  
1101 9th Avenue  
Oakland, CA 94606  
Tel: 510-922-9027  
www.tkbtrading.com

# Safety Data Sheet

## Satin White

Revision Version: 2.0

Page: 1/9  
(55559622/SDS\_COS\_US/EN)

### 1. Identification

**Product identifier used on the label**

**Satin White**

**Recommended use of the chemical and restriction on use**

Recommended use\*: pigment

\* The "Recommended use" identified for this product is provided solely to comply with a US Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

**Details of the supplier of the safety data sheet**

TKB TRADING, LLC  
1101 9th Avenue  
Oakland, CA 94606  
Tel: 510-922-9027  
www.tkbtrading.com

**Other means of identification**

Chemical family: metal oxides

### 2. Hazards Identification

**According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200**

**Classification of the product**

No need for classification according to GHS criteria for this product.

**Label elements**

The product does not require a hazard warning label in accordance with GHS criteria.

**Hazards not otherwise classified**

# Safety Data Sheet

## Satin White

Revision Version: 2.0

Page: 2/9  
(55559622/SDS\_COS\_US/EN)

No specific dangers known, if the regulations/notes for storage and handling are considered.

**According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200**

### Emergency overview

**WARNING:**

May cause cancer by inhalation.

Contains a suspect carcinogen.

PROLONGED OR REPEATED EXPOSURE MAY CAUSE LUNG DAMAGE.

Avoid inhalation of dusts.

Ensure adequate ventilation.

### 3. Composition / Information on Ingredients

**According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200**

This product does not contain any components classified as hazardous under the referenced regulation.

**According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200**

<u>CAS Number</u>	<u>Content (W/W)</u>	<u>Chemical name</u>
12001-26-2	63.0 - 73.0 %	Mica-group minerals
13463-67-7	27.0 - 37.0 %	Titanium dioxide

The product contains:

<u>CAS Number</u>	<u>Content (W/W)</u>	<u>Chemical name</u>
13463-67-7	27.0 - 37.0 %	Titanium dioxide

### 4. First-Aid Measures

#### Description of first aid measures

**General advice:**

Remove contaminated clothing.

**If inhaled:**

If difficulties occur after dust has been inhaled, remove to fresh air and seek medical attention.

**If on skin:**

Wash thoroughly with soap and water. If irritation develops, seek medical attention.

**If in eyes:**

Wash affected eyes for at least 15 minutes under running water with eyelids held open. If irritation develops, seek immediate medical attention.

**If swallowed:**

Rinse mouth and then drink plenty of water. Do not induce vomiting. Seek medical attention if necessary.

# Safety Data Sheet

## Satin White

---

Revision Version: 2.0

Page: 3/9  
(55559622/SDS\_COS\_US/EN)

---

### **Most important symptoms and effects, both acute and delayed**

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

### **Indication of any immediate medical attention and special treatment needed**

#### Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

## **5. Fire-Fighting Measures**

### **Extinguishing media**

Additional information:

Use extinguishing measures to suit surroundings.

### **Special hazards arising from the substance or mixture**

Hazards during fire-fighting:

No particular hazards known.

### **Advice for fire-fighters**

Protective equipment for fire-fighting:

Wear a self-contained breathing apparatus.

### **Further information:**

Product itself is non-combustible; fire extinguishing method of surrounding areas must be considered.

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

---

## **6. Accidental release measures**

### **Personal precautions, protective equipment and emergency procedures**

Avoid dust formation. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

### **Environmental precautions**

Do not empty into drains.

This product is not regulated by RCRA. This product is not regulated by CERCLA ('Superfund').

### **Methods and material for containment and cleaning up**

For small amounts: Pick up with suitable appliance and dispose of.

For large amounts: Pick up with suitable appliance and dispose of.

Spills should be contained and placed in suitable containers for disposal.

---

## **7. Handling and Storage**

### **Precautions for safe handling**

# Safety Data Sheet

## Satin White

Revision Version: 2.0

Page: 4/9  
(55559622/SDS\_COS\_US/EN)

Breathing must be protected when large quantities are decanted without local exhaust ventilation. Avoid contact with the skin, eyes and clothing.

Avoid dust formation. Closed containers should only be opened in well-ventilated areas.

Protection against fire and explosion:  
No special precautions necessary.

See MSDS section 5 - Fire fighting measures. Prevent electrostatic charge accumulation.

### Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Keep in a cool place. Keep container dry.

## 8. Exposure Controls/Personal Protection

### Components with occupational exposure limits

Titanium dioxide	OSHA PEL	PEL 15 mg/m <sup>3</sup> Total dust ; TWA value 10 mg/m <sup>3</sup> Total dust ;
	ACGIH TLV	TWA value 10 mg/m <sup>3</sup> ;
Mica-group minerals	OSHA PEL	TWA value 20 millions of particles per cubic foot of air ; TWA value 3 mg/m <sup>3</sup> Respirable dust ;
	ACGIH TLV	TWA value 20 millions of particles per cubic foot of air ; TWA value 3 mg/m <sup>3</sup> Respirable fraction ;

### Personal protective equipment

#### **Respiratory protection:**

Observe OSHA regulations for respirator use (29 CFR 1910.134). Wear a NIOSH-certified (or equivalent) particulate respirator.

#### **Hand protection:**

Chemical resistant protective gloves

#### **Eye protection:**

Safety glasses with side-shields.

#### **Body protection:**

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

#### **General safety and hygiene measures:**

Handle in accordance with good industrial hygiene and safety practice. Due to the colouring properties of the product closed work clothes should be used, to avoid stains during manipulation. Hands and/or face should be washed before breaks and at the end of the shift. Wash soiled clothing immediately.

## 9. Physical and Chemical Properties

Form:	powder
Odour:	odourless
Colour:	off-white with pearly reflection
pH value:	7.0 - 11.0 ( 4 %(m))

# Safety Data Sheet

## Satin White

Revision Version: 2.0

Page: 5/9  
(55559622/SDS\_COS\_US/EN)

Melting point:		The substance / product decomposes.
Boiling point:		not applicable
Flash point:		not applicable
Flammability:	not flammable	
Autoignition:		Study does not need to be conducted.
Vapour pressure:		not applicable
Density:	2.9 kg/l	( 20 °C)
Relative density:	2.9	
Bulk density:	180 kg/m3	
Self-ignition temperature:		not self-igniting
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.	
Solubility in water:		insoluble
Evaporation rate:		The product is a non-volatile solid.

## 10. Stability and Reactivity

### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:  
not fire-propagating

### Chemical stability

The product is chemically stable.

### Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

The product is chemically stable.

Hazardous polymerization will not occur.

### Conditions to avoid

Avoid dust formation.

### Incompatible materials

No substances known that should be avoided.

### Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

No decomposition if stored and handled as prescribed/indicated.

## 11. Toxicological information

### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

### Acute Toxicity/Effects

# Safety Data Sheet

## Satin White

---

Revision Version: 2.0

Page: 6/9  
(55559622/SDS\_COS\_US/EN)

### Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single ingestion.

### *Information on: Titanium dioxide*

*Assessment of acute toxicity: Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact.*

-----

### Oral

Type of value: LD50

Species: rat

Value: > 2,000 mg/kg

The product has not been tested. The statement has been derived from the properties of the individual components.

### Irritation / corrosion

Assessment of irritating effects: Inhalation of dust may cause respiratory tract irritation, coughing and breathing difficulties. Contact with the eyes or skin may cause mechanical irritation.

### Skin

May cause mechanical irritation.

### Eye

May cause mechanical irritation.

### Sensitization

Assessment of sensitization: There is no evidence of a skin-sensitizing potential.

## **Chronic Toxicity/Effects**

### Repeated dose toxicity

Assessment of repeated dose toxicity: Prolonged or repeated exposure may cause pulmonary problems.

### *Information on: Mica-group minerals*

*Assessment of repeated dose toxicity: Chronic exposures have been known to produce pneumoconiosis (chronic inflammatory and fibrotic lung disease).*

-----

### Carcinogenicity

### *Information on: Titanium dioxide*

*Assessment of carcinogenicity: IARC (International Agency for Research on Cancer) has classified this substance as group 2B (The agent is possibly carcinogenic to humans). In long-term studies in rats in which the substance was given by inhalation, a carcinogenic effect was observed. Tumors were only observed in rats after chronic inhalative exposure to high concentrations which caused sustained lung inflammation. In long-term studies in rats and mice in which the substance was given by feed, a carcinogenic effect was not observed. Dermal exposure is not expected to be carcinogenic.*

-----

### Other Information

The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

# Safety Data Sheet

## Satin White

Revision Version: 2.0

Page: 7/9  
(55559622/SDS\_COS\_US/EN)

### Symptoms of Exposure

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

#### Medical conditions aggravated by overexposure

Inhalation of dust could aggravate existing respiratory conditions.

## 12. Ecological Information

### Toxicity

#### Aquatic toxicity

Assessment of aquatic toxicity:

At the present state of knowledge, no negative ecological effects are expected. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

#### Toxicity to fish

*Information on: Titanium dioxide*

*LC50 (96 h) > 1,000 mg/l, Fundulus heteroclitus (Fish test acute, static)*

*Literature data. Nominal concentration.*  
-----

#### Aquatic invertebrates

*Information on: Titanium dioxide*

*EC50 (48 h) > 1,000 mg/l, Daphnia magna (Daphnia test acute, static)*

*Literature data. Nominal concentration.*

*No observed effect concentration (28 d) 100000 mg/kg, aquatic crustacea (other, semistatic)*

*Literature data. Nominal concentration. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.*  
-----

### Persistence and degradability

#### Assessment biodegradation and elimination (H<sub>2</sub>O)

The colourant is insoluble in water and can thus be separated from water mechanically in suitable effluent treatment plant

### Bioaccumulative potential

#### Bioaccumulation potential

The product will not be readily bioavailable due to its consistency and insolubility in water.

### Mobility in soil

#### Assessment transport between environmental compartments

The substance will not evaporate into the atmosphere from the water surface.

Adsorption to solid soil phase is possible.

### Additional information

Other ecotoxicological advice:

# Safety Data Sheet

## Satin White

Revision Version: 2.0

Page: 8/9  
(55559622/SDS\_COS\_US/EN)

The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

### 13. Disposal considerations

#### Waste disposal of substance:

Must be disposed of or incinerated in accordance with local regulations. Dispose of in a licensed facility. Do not discharge into drains/surface waters/groundwater. It is the waste generator's responsibility to determine if a particular waste is hazardous under RCRA. This product does not possess any of the four identifying characteristics of hazardous waste (ignitability, corrosivity, reactivity, or toxicity).

#### Container disposal:

Uncontaminated packaging can be re-used. Packs that cannot be cleaned should be disposed of in the same manner as the contents.

### 14. Transport Information

#### Land transport

USDOT

Not classified as a dangerous good under transport regulations

#### Sea transport

IMDG

Not classified as a dangerous good under transport regulations

#### Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

### 15. Regulatory Information

#### Federal Regulations

##### Registration status:

Cosmetic TSCA, US released / exempt

**EPCRA 311/312 (Hazard categories):** Acute;

#### State regulations

##### State RTK

MA, NJ, PA  
MA, NJ, PA

##### CAS Number

12001-26-2  
13463-67-7

##### Chemical name

Mica-group minerals  
Titanium dioxide

##### CA Prop. 65:

WARNING: THIS PRODUCT CONTAINS A CHEMICAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER.

##### NFPA Hazard codes:



# Safety Data Sheet

## Satin White

---

Revision Version: 2.0

Page: 9/9  
(55559622/SDS\_COS\_US/EN)

---

Health : 1      Fire: 0      Reactivity: 0      Special:

### HMIS III rating

Health: 1      Flammability: 0      Physical hazard: 0

---

## 16. Other Information

SDS Prepared on: 2014/10/26

---

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.  
END OF DATA SHEET