

TKB TRADING, LLC 1101 9th Avenue Oakland, CA 94606 Tel: 510-922-9027 www.tkbtrading.com

SAFETY DATA SHEET according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

| | Revision Date 03/03/2015 | Version 1.1 |
|-----------------------------|---|-------------|
| SECTION 1.Identification | | |
| Product identifier | | |
| Product name | SILKEN GOLD | |
| Relevant identified uses of | of the substance or mixture and uses advised against | |
| Identified uses | Cosmetic raw material | |
| Details of the supplier of | the safety data sheet | |
| Company | TKB TRADING, LLC 1101 9th Avenue Oakland, CA 94606 Tel: 510-922-9027 www.tkbtrading.com | |
| SECTION 2. Hazards ident | | |

GHS-Labeling

Not a dangerous substance according to GHS.

Other hazards

None known.

SECTION 3. Composition/information on ingredients

Chemical nature

Mica coated with: titanium dioxide, tin oxide

Hazardous ingredients

Chemical Name (Concentration) CAS-No. *titanium(IV) oxide (>= 50 % - < 70 %)* 13463-67-7

Exact percentages are being wihtheld as a trade secret. *mica (muscovite) (>= 30 % - < 50 %)* 12001-26-2

Exact percentages are being wihtheld as a trade secret.

SECTION 4. First aid measures

Description of first-aid measures

Inhalation After inhalation: fresh air.

Skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

Eye contact

After eye contact: rinse out with plenty of water.

Ingestion

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

We have no description of any toxic symptoms.

Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Not combustible. Ambient fire may liberate hazardous vapors.

Advice for firefighters

Special protective equipment for fire-fighters In the event of fire, wear self-contained breathing apparatus.

Further information none

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

Environmental precautions

No special precautionary measures necessary.

Methods and materials for containment and cleaning up

Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

SECTION 7. Handling and storage

Precautions for safe handling

Observe label precautions.

Conditions for safe storage, including any incompatibilities

Tightly closed. Dry.

Storage temperature: no restrictions.

SECTION 8. Exposure controls/personal protection

Exposure limit(s)

| Ingredients | | | |
|-----------------------------|---------------------------------|---|---|
| Basis | Value | Threshold limits | Remarks |
| General thresh | old limit value for dust | | |
| Z1A | Time Weighted Average (TWA): | 5 mg/m³ | Form of exposure: Respirable fraction. |
| | Time Weighted Average (TWA): | 15 mg/m³ | Form of exposure: Total dust. |
| | Time Weighted Average (TWA): | 50millions of particles per cubic foot of air | Form of exposure: Total dust. |
| | Time Weighted Average (TWA): | 15millions of particles per cubic foot of air | Form of exposure: Respirable fraction. |
| | Time Weighted Average (TWA): | 15 mg/m³ | Form of exposure: Total dust. |
| | Time Weighted Average (TWA): | 5 mg/m³ | Form of exposure: Respirable fraction. |
| OSHA_TRANS | PEL: | 5 mg/m³ | Form of exposure: Respirable fraction. |
| | PEL: | 15 mg/m³ | Form of exposure: Total dust. |
| ACGIH | Time Weighted Average (TWA): | 10 mg/m ³ | Form of exposure: Inhalable particles. |
| | Time Weighted Average (TWA): | 3 mg/m³ | Form of exposure: Respirable particles. |
| titanium(IV) oxi | ide 13463-67-7 | | |
| ACGIH | Time Weighted Average (TWA): | 10 mg/m³ | |
| OSHA_TRANS | PEL: | 15 mg/m³ | Form of exposure: Total dust. |
| Z1A | Time Weighted Average (TWA): | 10 mg/m³ | Form of exposure: Total dust. |
| mica (muscovite) 12001-26-2 | | | |

Version 1.1

SAFETY DATA SHEET according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product name SILKEN GOLD

Version 1.1

| ACGIH | Time Weighted Average (TWA): | 3 mg/m³ | Form of exposure: Respirable fraction. |
|-------------|--------------------------------------|---|--|
| NIOSH/GUIDE | Recommended exposure limit (REL): | 3 mg/m³ | Form of exposure: Respirable. |
| Z1A | Time Weighted Average (TWA): | 3 mg/m³ | Form of exposure: Respirable dust. |
| | Time Weighted Average (TWA): | 20millions of particles per cubic foot of air | |

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

Hygiene measures

Change contaminated clothing. Wash hands after working with substance.

Eye/face protection Safety glasses

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Respiratory protection

required when dusts are generated.

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

SECTION 9. Physical and chemical properties

| Physical state | powder |
|----------------|---|
| Color | light yellow |
| Odor | odorless |
| Odor Threshold | Not applicable |
| рН | 8.0 - 11.0 at 100 g/l 77 °F (25 °C) (slurry) |
| Melting point | No information available. |
| Boiling point | No information available. |

SAFETY DATA SHEET according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

| Product name | SILKEN GOLD | Versio |
|--|---|--------|
| Flash point | Not applicable | |
| Evaporation rate | No information available. | |
| Flammability (solid, gas) | The product is not flammable. | |
| Lower explosion limit | No information available. | |
| Upper explosion limit | No information available. | |
| Vapor pressure | No information available. | |
| Relative vapor density | No information available. | |
| Density | 3.1 - 3.3 g/cm³ at 68 °F (20 °C) | |
| Relative density | No information available. | |
| Water solubility | at 68 °F (20 °C) practically insoluble | |
| Partition coefficient: n- octanol/water | No information available. | |
| Autoignition temperature | No information available. | |
| Decomposition temperature | e No information available. | |
| Viscosity, dynamic | No information available. | |
| Explosive properties | Not classified as explosive. | |
| Oxidizing properties | none | |
| Bulk density | 370 - 410 kg/m³ | |
| Particle size | Particle size 5.0 - 25.0 μm | |
| | Mean particle size 7.0 - 14.0 μm | |
| | | |

SECTION 10. Stability and reactivity

Reactivity

See below

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions

Version 1.1

Version 1.1

no information available

Conditions to avoid

no information available

Incompatible materials

no information available

Hazardous decomposition products

no information available

SECTION 11. Toxicological information

Information on toxicological effects

Likely route of exposure Inhalation, Eye contact, Skin contact, Ingestion

Target Organs Respiratory system

Specific target organ systemic toxicity - single exposure The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ systemic toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Regarding the available data the classification criteria are not fulfilled.

Carcinogenicity

| IARC | Group 2B: Possibly carcinogenic to humans | |
|-------|---|---------------------------------|
| | titanium(IV) oxide | 13463-67-7 |
| OSHA | No ingredient of this product pr | esent at levels greater than or |
| | equal to 0.1% is identified as a | carcinogen or potential |
| | carcinogen by OSHA. | |
| NTP | No ingredient of this product pr | esent at levels greater than or |
| | equal to 0.1% is identified as a | known or anticipated carcinogen |
| | by NTP. | |
| ACGIH | No ingredient of this product pr | esent at levels greater than or |
| | equal to 0.1% is identified as a | carcinogen or potential |
| | carcinogen by ACGIH. | |

Further information

The results of animal experiments using pigments of this type indicate no toxicologically relevant properties. Since the substance is poorly absorbed, no systemic effects are to be anticipated. Inhalation of the dusts should be avoided as even inert dusts may impair respiratory organ functions. The individual test results were as follows: skin tolerance (rabbit): no irritant effect; eye irritation test (rabbit): no irritant effect; LD₅₀ (oral, rat): not determinable; all animals still alive after 5,000 mg/kg.

Subchronic toxicity (rat): no appreciable findings up to 20 000 ppm.

LC₅₀ (inhalational, rat):> 10.1 ml/l/4 h Handle in accordance with good industrial hygiene and safety practice.

Ingredients

titanium(IV) oxide Acute oral toxicity LD50 Rat: > 10,000 mg/kg (External MSDS)

> *Skin irritation* Rabbit Result: No skin irritation (IUCLID)

Eye irritation Rabbit Result: No eye irritation (IUCLID)

mica (muscovite) No information available.

SECTION 12. Ecological information

Ecotoxicity

No information available.

Persistence and degradability No information available.

Bioaccumulative potential No information available.

Mobility in soil No information available.

Ingredients

titanium(IV) oxide Toxicity to fish LC0 Leuciscus idus (Golden orfe): > 1,000 mg/l(External MSDS)

Toxicity to bacteria EC0 Pseudomonas fluorescens: > 5,000 mg/l(External MSDS)

mica (muscovite) No information available.

SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

SECTION 14. Transport information

Land transport (DOT)

Not classified as dangerous in the meaning of transport regulations.

Air transport (IATA)

Not classified as dangerous in the meaning of transport regulations.

Sea transport (IMDG)

Not classified as dangerous in the meaning of transport regulations.

SECTION 15. Regulatory information

United States of America

SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 302

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311,

Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311,

Table 117.3.

DEA List I Not listed

DEA List II Not listed

US State Regulations

Massachusetts Right To Know Ingredients titanium(IV) oxide mica (muscovite)

Pennsylvania Right To Know Ingredients

titanium(IV) oxide

SILKEN GOLD Product name

Version 1.1

| mica (muscovite) | |
|---|---|
| New Jersey Right To Know <i>Ingredients</i> titanium(IV) oxide mica (muscovite) | |
| California Prop 65 Componen WARNING: this product conta Ingredients titanium(IV) oxide | its ains a chemical known in the State of California to cause cancer. |
| Notification status | |
| TSCA: | All components of the product are listed in the TSCA-inventory. |
| DSL: | All components of this product are on the Canadian DSL. |
| KOREA: | Not in compliance with the inventory |

SECTION 16. Other information

Training advice

Provide adequate information, instruction and training for operators.

Labeling

Precautionary Statements Prevention P260 Do not breathe dust.

Key or legend to abbreviations and acronyms used in the safety data sheet Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Revision Date03/03/2015

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved.