



CERTIFICATE OF ANALYSIS (COA)
(Representative Sample Analysis)

Product Name: Satin Pearl

Physical & Chemical Characteristics

Test Item	Result
pH	8.0
% Mica	Within standard
% Titanium Dioxide	Within standard
Appearance	Meet standard
Aerobic bacteria	Within standard
E.coli	Within standard
Gm negative bacteria	Within standard
Pseudomonas aeruginosa	Within standard
Staph. Aureus	Within standard
Yeast & Mold	Within standard
Arsenic	Within standard
Mercury	Within standard
Lead	Within standard
Antimony	Within standard
Cadmium	Within standard
Barium	Within standard
Cobalt	Within standard



Test Item	Result
Chromium	Within standard
Copper	Within standard
Nickel	Within standard
Selenium	Within standard
Zinc	Within standard

User Responsibility Statement

This Certificate of Analysis is provided for reference purposes only. Users are responsible for determining the suitability for their intended use and ensuring compliance with applicable regulations.

Conclusion

This product meets the specified requirements.

Disclaimer

The information provided herein is based on current knowledge and is believed to be accurate. No warranty, expressed or implied, is made regarding the use of this product or the results obtained. TKB Trading is a distributor of this product.

Certification

This document is generated electronically and does not require a signature.